


Freestanding Appliances 2021



Who are Bosch?



"I have always acted according to the principle that it is better to lose money than trust. The integrity of my promises, the belief in the value of my products and in my word of honour have always had a higher priority to me than a transitory profit."

Robert Bosch, 1921

For over 130 years, the Bosch name has been synonymous with engineering excellence. Our home appliances are renowned for their quality, reliability and performance which derives from our inherent, unflagging commitment and the painstaking thoroughness with which every unit is made. As you would expect from Bosch, there are no gimmicks or frills with our products - just pure, clean lines and beautiful, functional simplicity that will enhance any kitchen.

The values that shaped Robert Bosch's vision for his new company in 1886 are the same principles that guide the business today; never lose the trust of your customers, look after your staff and partners and change things for the better. It's what has kept Bosch at the forefront of the home appliance industry and what will keep it there in the future.

Follow us to learn more on:











Contents

Customer service	2-3
Energy Labels	4-5
Home Connect	6-9
Home Laundry	10-27
Introducing the Bosch laundry range	10-17
Washing machines	18-22
Washer dryers	23
Tumble dryers	24-27
Dishwashers	28-38
Introducing the Bosch dishwasher range	28-32
60cm dishwashers	33-36
OUCHI dishwashers	00 00

Refrigeration	39-61
Introducing the Bosch refrigeration range	39-43
Fridge freezers	44-50
Fridges	51-52
Freezers	53-54
Undercounter fridges, freezers and fridge freezers	55
French door fridge freezer	56
American fridge freezers	57-59
Wine coolers	60-61

Small appliances	62-87
Introducing the Bosch	62-63
vacuum cleaner range	
Vacuum cleaners	64-67
Microwaves	68
Food preparation	69-75
Handheld blenders	76-77
Hand mixers	78
Kettles & toasters	79-83
Tassimo coffee machines	84-85
Filter coffee machines	87
Installation Drawings	88-91



Peace of mind from Bosch



Customer Service

Trust Bosch Home Appliances Customer Service to help you with the following:

- Offer product advice on using your appliance or help with choosing a new Bosch appliance
- Register your appliances and extend the warranty
- Arrange a repair for your appliance by a Bosch engineer
- Locate and buy replacement spare parts and accessories

We're available seven days a week. You can call us on:

UK: 0344 892 8979 IE: 01450 2655



Our advisors are available Monday to Friday 8am to 6pm, Saturday 9am to 5pm and Sunday 9am to 4pm. Calls are charged at the basic rate, please check with your telephone service provider for exact charges. In some areas, we may use an approved service partner and the process may vary for repairs carried out by our service partners.

Please note that due to the implications of COVID-19, our contact hours and service availability are subject to change. For the latest information and updates on our services, please visit our COVID-19 Service Update page at https://www.bosch-home. co.uk/coronavirus. Republic of Ireland customers should visit: https://www.bosch-home.ie/coronavirus.

Prefer to receive help online?

You can also visit: https://www.bosch-home.co.uk/customer**service/get-support** to quickly find support online. We cover questions about usage and maintenance of your appliance, as well as tips on getting started and installing your new appliances. You can also book a repair visit, manage your existing bookings

Republic of Ireland customers should visit: https://www.boschhome.ie/customer-service/get-support

Repair Service

Award-winning repairs in and out of warranty.

If your Bosch appliance needs a repair, we're here to help. Equipped to repair your appliance on the first visit, our team of locally based engineers are employed and trained by Bosch, which gives them



Excellence

+Quality

Winner 2020

Total

unrivalled knowledge and expertise to repair our appliances.

You can easily book, and manage your engineer visit online at: https://www.bosch-home.co.uk/customer-service/repair**service** or via our call centre (see contact details above). Republic of Ireland customers should visit: https://www.bosch-home.ie/ customer-service/repair-service

Warranties, Accessories and Spare Parts

Warranty Options

Understand more about the warranty options from Bosch.

Your Bosch appliances are supplied with a two-year manufacturer's warranty as standard, but you also have the option to extend this warranty to a total of five years for added peace of mind with the Bosch Extended Warranty, Learn more about your options by speaking to one of our experienced advisors or by visiting our website: https://www.bosch-home. co.uk/customer-service/care-protection-and-parts/ additional-warranties.

Republic of Ireland customers should visit: https://www.boschhome.ie/customer-service/care-protection-and-parts/twoyear-manufacturers-warranty.

Register my appliance

Receive product updates instantly.

We advise that you register your appliances so we can contact you about any product updates. You can visit:

www.registermyappliance.org.uk for further information. Any appliances you register will then be automatically registered for their two-year manufacturer's warranty, and you'll also have the option to extend your warranty further on eligible appliances by purchasing the Bosch Extended Warranty. Choose to register your appliance online or by calling us.

Cleaning and Care, Cookware and Other Accessories

Tested and approved products.

You can find everything you need for any appliance on the Bosch online store. It's here you'll find our tested and approved cleaning and care products, along with other accessories, ranging from a glass holder for your new dishwasher to a TeppanYaki for

Shop online at:

UK: https://www.bosch-home.co.uk/store IE: https://www.bosch-home.ie/store

Spare Parts

Genuine Bosch parts, not copies.

Bosch keeps a comprehensive range of replacement spare parts for up to 10 years. You can browse our exploded view diagrams in our store or speak to an advisor on the phone to help you locate and buy the spare parts you need.



The new Energy Label: Valid from 1st March, 2021.

Technological development over the past few years has resulted in a higher concentration of products that carry labels with a value of A+ or better. Consequently, the label has not been fulfilling its original function as an aid for making purchasing decisions as well as it formerly did. Other basic conditions like user behaviour have also changed. That's why it's time to adapt the existing energy label. The first home appliances to have the new label will be washing machines, washer-dryers, dishwashers, cooling appliances and wine coolers. As of 1st March, 2021, these appliances must show the new label when sold in shops, online, etc.


The most significant change in the new energy labels is the elimination of the energy efficiency plus classes like, for example A+++. Classification will be from A to G. New methods will also be used for measuring energy consumption and determining the label class. According to EU specifications, they should, to the extent possible, take into account the real-life usage of the product and reflect the average consumer behaviour. This means, for example, that energy consumption for washing machines, washer-dryers and dishwashers will no longer be specified per year but per 100 operating cycles of the particular appliance.

The duration of the label programme to be tested will also be specified for these products. In the case of washing machines and washer-dryers, there will even be a maximum programme duration that must not be exceeded.

The test programme for labelling washing machines and washer-dryers is also changing. The new "Eco 40-60" programme will be displayed on the appliance panel. In addition, these devices now have an even higher requirement for their washing performance, as well as a minimum requirement for their rinsing effect. For dishwashers, the composition of the standard place setting will also be changed. For these and other reasons, it is not possible to directly convert the current efficiency classes to the new classes. In addition, you will also be able to retrieve further product information directly via a QR code that is displayed on the energy label. The QR code forwards you to a database operated by the EU from 1.3.2021. This is where you can view and download data sheets for all appliances that require the new energy label. Access to the database is also possible via the Internet. For more information on the new energy label, visit: www.bosch-home.com

Lookout for the new energy efficiency class icons throughout our brochure and on our product pages.





Sample energy label for dishwashers:

The energy efficiency class for dishwashers continues to be based on the "Eco" programme. However, the test standard has been changed. For example, coffee cups, stainless-steel pots, and plastic utensils will be used to determine cleaning and drying performance to better reflect actual usage behaviour. What's new is the specification of the duration of the Eco programme. This programme is especially eco-friendly, is ideal for normally soiled dishes and is the most efficient programme in terms of the combined "energy and water consumption". However, for resource-saving cleaning (with less consumption of electricity, water and detergent), you have to give these components a certain amount of time to develop their full effect. As with washing machines and washer-dryers, energy consumption will be based on 100 cleaning cycles.

Key


- 1 QR code
- 2 Energy efficiency class
- 3 Energy consumption in kWh/100 operating cycles (in Eco programme)
- 4 Number of standard place settings for the Eco programme
- 5 Water consumption in litres/operating cycle (in Eco programme)
- 6 Duration of the "Eco" programme
- Noise emissions expressed in dB(A) re 1 PW and noise emission class


Sample energy label for washing machines:

One of the major changes in the energy label for washing machines is the change in the test programme to which all label values refer. Like, for example, the energy consumption which will be based on 100 wash cycles. The new "Eco 40-60"* programme is suitable for cleaning normally soiled fabrics made of cotton, linen or mixed fibres which, based on their care symbol, are washable at 40°C or 60°C. The fabrics named may be combined in this wash cycle. The "Eco 40-60" programme is the most efficient programme in the combination "energy and water consumption".

Key

- 1 QR code
- 2 Energy efficiency class**
- 3 Weighted energy consumption** in kWh/100 operating cycles (in Eco 40-60 programme)
- 4 Maximum load capacity
- 5 Duration of "Eco 40-60" programme
- 6 Weighted water consumption** in litres/operating cycle (in Eco 40-60 programme)
- 7 Spin efficiency class**
- 8 Noise emissions during spin cycle expressed in dB(A) re 1 PW and noise emission class** Values apply to quarter, half and full loads





Home Connect

From controlling your Home Connect Serie 8 oven with your voice, to getting notifications when your laundry is ready, our more helpful smart appliances mean less things to think about and more time to spend on something else. Bosch Home Appliances with Home Connect ensure your home is ready for the future, today.

How you can use your Home Connect app.

						MyBosch
Oven	Washer & dryer	Fridge freezers	Dishwasher	Fully automatic coffee machine	Hob & hoods	Services
Seasonal recipe specials	Easy start	Smart storage guide/object recognition	Easy Start in three steps to choose the perfect wash.	Coffee playlist	Filter saturation & replacement - Let the hood notify you when the filter needs replacing.	Tips & tricks
Voice Control - Sticky hands? Ask Alexa or Google to adjust the temperature and more.	Additional stain programmes	Camera in the fridge - Check to see if you need more milk from the supermarket.	Receive tablet, rinse aid and salt level notifications via the app and Amazon Alexa, so you never run out.	Coffee world - Make a coffee from your favourite destination.	Hob-hood control - Ensure the hood starts whenever you use the hob.	User manual
Recipe filters	Adjust washing time - MyTime	Inventory manager - Add fridge contents and use by dates, to better manage your food consumption.	Auto tablet replenishment thanks to Smart reorder via Amazon Alexa.	MyCoffee - Add your personal coffee to MyCoffee for fast easy coffee your way.	Remote setting & monitoring	Accessories
Programme notifications	Smart Drying					Online shop
Adjust oven settings on the go	Programme notifications					

*Home Connect is available on selected appliance

Why not try the app?

Experience it yourself: download the free Home Connect app and try Home Connect, even if you don't have an appliance.



For more information on Home Connect

























amazon alexa

Voice control services based on Amazon Alexa will allow you to connect and control your appliances in your home simply by speaking to Alexa. Along with the ability to use Alexa with many other partners from Philips Hue and IFTTT, the possibilities are endless.

Once Home Connect devices are set up you can control your oven, dishwasher, coffee machine, washing machine and tumble dryer. All you'll need to do is simply ask:



Alexa will then continue to guide you through. Search for Home Connect in the Skills area of the Alexa app.



With the Google Assistant, users can get the best out of Google and connected home appliances with Home Connect. Just say, "Hey Google" to get started. You can check to see if you need more milk from the supermarket and even stay notified on the go with compatible wearable devices.



Simply control your kitchen appliances with voice control, from your dishwasher and washing machine to your hood and oven.

You'll be able to turn the appliances on and off, but also query Google Assistant about when the appliance will be done and what programme is running.

Helpful Home Appliances

The future has arrived and it's knocking on your front door. Home Connect brings smart technology to your appliances and lets you control them with your phone or tablet.

So, whether you want to turn the oven on to cook your dinner when you're on your way home, or check what's in your fridge while you're at the shops, you'll be in complete control.

Simple to set up, simple to use.

There's no need to worry if you're not a technical genius. We've made sure Home Connect is simple and straightforward to set up. If you do need a helping hand, please scan the QR code below. You'll find the Home Connect app just as easy to use. There are lots of pre-set options to get you started quickly, and everything is set out logically and clearly.


Relax - we're invented for life.

Home Connect uses the same security protocol as online banking, so you can enjoy extra peace of mind when you're using your Bosch appliances. Our app has TUV Trusted App certification, and all of our Home Connect appliances are Wi-Fi certified by the Wi-Fi Alliance.



Setting up your home appliance and adjusting the product to suit your needs is easier with the Home Connect app.

To find out more, scan the QR code.



Peace of mind with Home Connect

Favourites

Meal planning has never been easier. Browse the Home Connect Recipe Book from your favourite armchair. When you've made your choice, simply send all the settings from the app directly to your oven, so it's ready to go when you are.

The range of recipes are all tried and tested by Bosch Home Economists around the world, so you'll find exciting new flavours alongside old family favourites.



Easy Start

Your i-DOS washing machine uses the water hardness and fill level to determine how much fabric softener is required to get a perfectly clean result.

And so that you never run out of detergent, the Home Connect app sends you a timely reminder when your liquid detergent and fabric conditioner running low.

Tablet top up

Smart reordering of dishwasher tablets can be used via the Amazon Alexa app. To use smart reorder via the Alexa app, start by enabling the Home Connect dishwasher skill.

Automatic replenishment and being reminded via mail is already supported, voice support will follow soon.



Remote Delayed start*

In a hurry, load up, put a tablet in, walk away and as you do so ask Alexa or Google to tell your dishwasher to run programme (auto 45-65), and option (SpeedPerfect+). Yes that's it. Dishes done, leave it with us.

*Available on selected models.

Introducing the Bosch laundry range.

Energy and water-saving technologies across our latest laundry appliances give you peace of mind when washing and drying your clothes. To help you choose the right appliance, we have divided them into three categories.



Serie 8

Perfection in every detail, our Serie 8 range stands out from the crowd with superior quality, results and first-class design. Discover cutting-edge features and extras such as i-DOS automatic dosing system and targeted AntiStain programmes to take the guesswork out of stain removal. Our 4D Wash function ensures highly efficient usage of water and detergent guaranteeing spotless results. Monitor and control your wash remotely with our Home Connect models, developed to give you complete control over your washing.

Serie 6

Our **Serie 6** models offer advanced features to make life easier. **i-DOS** doses each load with millilitre precision, which not only delivers outstanding results but a host of savings. **SpeedPerfect** allows you to wash up to 65% faster without compromising results.

Serie 4

Easy to operate with family in mind, our **Serie 4** range truly understands your requirements. Practical and straightforward to use, these appliances combine easy operation with stylish design. These models benefit from the **Reload** function, which allows you to open the door throughout most of the cycle so you can add or remove items at any time.

Laundry functions explained.

(Check model for available functions)



VarioDrum

Select the programme for your wash and the droplet-shaped drum structure and asymmetrical paddles will adjust the drum movements to powerful or gentle.



EcoSilence Drive

Bosch EcoSilence Drive washing machines come with a 10-year guarantee.



Agua Stor

This security gives you peace of mind that the water will stop in the unlikely event of a leak.



i-DOS

i-DOS automatically senses exactly the right amount of detergent and water to use, as well as the correct temperature, whatever your load, adapting to the fabrics, level of soiling and weight of the load.



AllergyPlus

Hygienic washing results that kill 99,99% of common germs*.



Reload

Simply pause the cycle and the machine will automatically adjust the water. This allows you to add or remove items of any size to your wash.



Time Delay

Have your laundry ready when you need it. Just delay the start of your programme with one simple button.



AntiVibration Design

A spiral design on the side of the washing machine that increases stability and reduces vibration. This makes for a quieter machine with improved sound dampening.



Capacity

Our Freestanding washing machines have a drum capacity of up to 10kg, perfect for those busy households.



Home Connect

Home appliances with smart connectivity. The Easy Start Guide function removes the guesswork by recommending the right programme to you – directly from your mobile device. Also if you wish, Push Notifications can be sent from your washing machine directly to your mobile device.



SpeedPerfect

Wash up to 65%** faster without compromising results. SpeedPerfect can be used in combination with most other programmes, all loads and textiles.

4D Wash

A combination of the direct water spray and an extra spin wash enables the most efficient and effective use of water and detergent, even when the drum is fully loaded. Achieve spotless laundry results every time.

Intensive Plus

For heavily soiled laundry, sometimes additional treatment is needed. Intensive Plus gives a boost to your cleaning performance by adding an extra wash for approximately 30 minutes. Providing you with brilliant results even on the most challenging clothes.

*Bosch washing machines with the 'AllergyPlus' wash programme at 40° and 60° fulfill scientifically recommended conditions for 99,99% of germ reduction for Enterococcus Hirae and Pseudomonas Aeruginosa, according to Honisch et al. 2014, "Impact of wash cycle time, temperature and detergent formulation on the hygiene effectiveness of domestic laundering." Conducted by University Rhine-Waal.

**Difference between the duration of Easy Care Programme 40°C and the duration of Easy Care Programme 40°C in combination with SpeedPerfect option.

Lookout for the new energy efficiency class icons throughout our brochure and on our product pages.



Never miss an item again. Reload by Bosch.

For dropped socks, mistaken items with your whites or forgotten clothes, Reload function on Bosch washing machines allows you to add or remove clothing of any size to your washes. Simply pause the cycle and the machine will automatically adjust the water level to allow you to open the door. Reload your items and restart the wash.

Model shown: WAU28PH9GB

hosch hope co.uk / bosch-home.ie

Bosch integrated technology for a peaceful washing experience.

Enjoy the quiet life.

The modern world is noisy enough, so it's good to know that Bosch technology can help make the home environment a little oasis of calm with our **EcoSilence Drive**[™]

Less rock and roll.

We've also created **AntiVibration** technology to cut down noise. The sidewalls of the washing machine feature a spiral design that increases stability and reduces vibrations. Improved sound insulation and low noise shock absorbers further

The right wash for the right stain.

The AntiStain Plus System easily removes up to 16 of the most stubborn stains, helping you to easily get perfect washing results. The washing machine automatically adjusts the temperature, drum movement and soaking time to meet the demands of the relevant stains before your chosen programme starts.



Everything's just right with i-DOS.

ᇦ i-DOS

Too much detergent or too little can lead to poor washing results. i-DOS automatically senses exactly the right amount of detergent and water to use, as well as the correct temperature.



The perfect dose every time.

It's easier than you might think to get the detergent dose wrong when doing the laundry. Thanks to i-DOS, it's no longer a worry. The automatic dosing system from Bosch uses the optimum amount of detergent for every wash whatever the size of your load.



The right setting for the load. Makes perfect sense.

Whether it's a quick sports wash or a full weekly load, sensors within the automatic dosing system determine the amount and type of clothes within each load and set the correct temperature and amount of detergent required for perfect results.





Too much? Too little? Just right with i-DOS.

Once activated, the i-DOS system measures the detergent automatically, to the nearest millilitre. Sensors inside the washing machine detect the type of fabric, the load volume in the drum and the degree of soiling, and adjust the detergent to the optimum dose accordingly. In this way, you'll achieve the best results for your clothes, whilst **saving detergent** and water.

Too much.

Using too much detergent - even by a little - leads to **significantly higher** water and energy consumption when washing. Visible detergent residues can be left on clothing, which can trigger skin irritation and allergies.

Too little.

Using too little detergent can lead to poorer washing results. Stains won't be completely removed and could be left on clothes permanently. Insufficient detergent can also result in discolouration and unpleasant odours.

Washer dryers



Convenience for small spaces.

Our washer dryers not only wash flawlessly, they also dry perfectly - all in one appliance. An ideal solution for people with high standards but not much space.

Wash & dry in one.

Now you can wash and dry a load thoroughly in just one hour. This programme is suitable for lightly soiled clothes and for washing and drying heat resistant textiles, such as cottons or linen.

Washer dryer functions explained.

(Check model for available functions)



Iron Assist

Iron Assist makes ironing easier. It sprays a natural mist that permeates preheated textiles and visibly smooths your laundry. This extra steam treatment reduces or even eliminates the need to iron dried garments.



AutoDry

With AutoDry sensor technology you can ensure gentle and precise drying results. AutoDry automatically knows when your load is perfectly dry by constantly measuring the humidity, protecting your clothes against overheating.



WrinkleGuard

Thanks to WrinkleGuard you'll reduce the size of your ironing pile! The drum will continue to move dry laundry for a period of time after the cycle has finished, so clothes are cooled gradually and don't wrinkle when they are still warm.



EcoSilence Drive™

Bosch EcoSilence Drive™ washing machines come with a 10-year guarantee.



SpeedPerfect

Wash up to 65%* faster without compromising results. SpeedPerfect can be used in combination with most other programmes, all loads and textiles.



Capacity

Our Freestanding washer dryers have a drum capacity of up to 10kg, perfect for those busy households. Wash and dry up to 6 kg of items in one go or wash up to 10 kg.

*Difference between the duration of Easy Care Programme 40°C and the duration of Easy Care Programme 40°C in combination with **SpeedPerfect** option.



To stay at their best, different clothes need to be washed in different ways. With the Bosch Home Connect app, simply tell your washing machine what's in the load and it will work out the perfect programme. It will even tell you if there's an item that should come out and be washed a different way.

Serie 8

WAX28EH1GB

Available July 2021



DESIGN FAMILY	SERIE 8	
MODEL	WAX28EH1GB	
KEY FEATURES		
Home Connect	•	
i-DOS detergent dosing system	•	
SpeedPerfect	•	
Reload facility	•	
Stain Removal system	AntiStain Plus (16)	
EcoSilence Drive	•	
AntiVibration design	•	
Reduced ironing option	•	
Reduced noise option		
4D Wash system	•	
Intensive Plus	•	
Consumption indicator	EcoBar Plus	
ADDITIONAL FEATURES		
Time delay	24 hours	
Child lock	•	
Drum interior light	•	
Safety	AquaStop	
PROGRAMMES / FUNCTIONS		
Eco 40-60	•	
Cottons	•	
Super Quick 15/30	•	
AllergyPlus	•	
Easy-care	•	
Mixed Load	•	
Wool	•	
Delicates/Silk	•	
Sportswear	•	
Dark Wash/EasyCare plus/Jeans	•	
Shirts and blouses	•	
Duvet/ Down wear	•	
Towels	-	
Curtains	-	
Auto programmme	•	
Memory programme	•	
Drum Clean	•	
Extra Rinse	•	
Pre Wash	•	
Rinse/Spin	•	
Rinse hold	•	
Soak	•	
Variable Temperature/Variable Spin	●/●	
PERFORMANCE / TECHNICAL INFORMATION		
Energy efficiency class ¹	A B	
Load capacity (kg)	1 · 10	
Energy ² / Water ³ (kWh / litres)	Check online for details	
Programme duration ⁴ (h:mm)	Check online for details	
Maximum spin speed (rpm) ⁵	1400	
Spin efficiency class	Check online for details	
Noise level (dB(A) re 1 pW)	71	
Noise emission class	Α	
Dimensions of the product (H x W x D) (inc. door porthole) (mm)	848 x 598 x 590 (632)	
Door opening angle	180°	
■ = Yes -= No		

WASHER













TYPE	WASHER	WASHER	WASHER	WASHER
DESIGN FAMILY	SERIE 8	SERIE 8	SERIE 8	SERIE 8
MODEL	WAX32EH1GB	WAX32GH4GB	WAV28EH3GB	WAV28KH3GB
KEY FEATURES				
Home Connect	•	•	•	•
-DOS detergent dosing system	•	-	•	•
SpeedPerfect	•	•	•	•
Reload facility	•	•	•	•
tain Removal system	AntiStain Plus (16)	AntiStain Plus (16)	AntiStain Plus (16)	-
CoSilence Drive	•	•	•	•
IntiVibration design	•	•	•	•
leduced ironing option	•	•	•	-
Reduced noise option		•	-	-
D Wash system	•	•	•	•
ntensive Plus	•	•	•	•
consumption indicator	EcoBar Plus	EcoBar Plus	EcoBar Plus	EcoBar Plus
ADDITIONAL FEATURES				
ime delay	24 hours	24 hours	24 hours	24 hours
child lock	•	•	•	•
rum interior light	•	•	•	•
afety	Multiple Water Protection	Multiple Water Protection	AquaStop	Multiple Water Protection
PROGRAMMES / FUNCTIONS				
co 40-60	•	•	•	•
ottons	•	•	•	•
uper Quick 15/30	•	•	•	•
llergyPlus	•	•	•	-
asy-care	•	•	•	•
lixed Load	•	•	•	•
Vool	•	•	•	•
elicates/Silk	•	•	•	•
portswear	•	•	•	•
ark Wash/EasyCare plus/ Jeans	•	•	•	-
hirts and blouses	•	•	•	•
uvet/ Down wear		-	•	-
owels	-	•	-	-
urtains		-	-	-
uto programmme	•		•	•
lemory programme	•	•	•	-
rum Clean		•	•	•
Evtra Rinco		_	_	_

PERFORMANCE / TECHNICAL INFORMATION				
Energy efficiency class ¹	A C	A C	A A	A B
Load capacity (kg)	1 - 10	1 - 10	1-9	1 - 9
Energy ² / Water ³ (kWh / litres)	67 / 49	67 / 49	48 / 48	57 / 48
Programme duration ⁴ (h:mm)	3:55	3:55	3:44	3:40
Maximum spin speed (rpm) ⁵	1600	1600	1400	1400
Spin efficiency class	A	A	В	В
Noise level (dB(A) re 1 pW)	72	72	69	70
Noise emission class	A	A	A	A
Dimensions of the product (H \times W \times D) (inc. door porthole) (mm)	848 x 598 x 590 (632)			
Door opening angle	180°	180°	180°	171°
▲ = Yos - = No				

 $^{^1}$ On an energy-efficiency class scale from A to G 2 Energy consumption in kWh/100 operating cycles (using Eco 40-60 programme) ³ Water consumption in litres/operating cycle (using Eco 40-60 programme) ⁴ Duration of Eco 40-60 programme

Pre Wash

⁵ The specified value is rounded. **Data valid in this table as of April 2021.** Subject to modification without prior notice

For full specification details, please log onto our website and download a full specification sheet.









Until October 2021 Available April 2021









		Available April 2021	Until October 2021	Available April 2021
ТҮРЕ	WASHER	WASHER	WASHER	WASHER
DESIGN FAMILY	SERIE 8	SERIE 8	SERIE 8	SERIE 6
MODEL	WAX32MH9GB	WAV28MH4GB	WAV28MH3GB	WAL28RH1GB
KEY FEATURES				
Home Connect	•	•	•	•
i-DOS detergent dosing system	·	-	-	-
SpeedPerfect	•	•	•	•
Reload facility	•	•	•	•
Stain Removal system	AntiStain (4)	AntiStain (4)	AntiStain (4)	AntiStain (4)
EcoSilence Drive	•	•	•	•
AntiVibration design	•	•	•	•
Reduced ironing option	•	-	-	•
Reduced noise option		-	-	•
4D Wash system	•	•	•	-
Intensive Plus	•	•	•	•
Consumption indicator	EcoBar Plus	EcoBar Plus	EcoBar Plus	EcoBar Plus
ADDITIONAL FEATURES				
Time delay	24 hours	24 hours	24 hours	24 hours
Child lock	•	•	•	•
Drum interior light	•	•	•	•
Safety	Multiple Water Protection	Multiple Water Protection	Multiple Water Protection	Multiple Water Protection
PROGRAMMES / FUNCTIONS				
Eco 40-60	•	•	•	•
Cottons	•	•	•	•
Super Quick 15/30	•	•	•	•
AllergyPlus	•	•	•	•
Easy-care	•	•	•	•
Mixed Load	•	•	•	•
Wool	•	•	•	•
Delicates/Silk	•	•	•	•
Sportswear	•	•	•	•
Dark Wash/EasyCare plus/ Jeans	-	-	-	•
Shirts and blouses	•	•	•	•
Duvet/ Down wear		-	-	-
Towels		-	-	-
Curtains		-	-	-
Auto programmme		-	-	-
Memory programme	-	· · · · · · · · · · · · · · · · · · ·	· ·	•
Drum Clean Extra Rinse	•	•	<u>*</u>	
Pre Wash	•	•		•
Rinse/Spin		•	•	•
Rinse hold	:	<u> </u>	·	·
Soak		· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·
Variable Temperature/Variable Spin	•/•	•/•	•/•	•/•
PERFORMANCE / TECHNICAL INFORMATION				
Energy efficiency class ¹	ā C	A A	A B	â C
Load capacity (kg)	1-9	1-9	1-9	1-10
Energy ² / Water ³ (kWh / litres)	65 / 48	48/48	57/48	67 / 47
Programme duration ⁴ (h:mm)	3:47	3:44	3:40	3:50
Maximum spin speed (rpm) ⁵	1600	1400	1400	1400
Spin efficiency class	A	В	В	В
Noise level (dB(A) re 1 pW)	70	69	70	75
Noise emission class	A	A	A	В
Dimensions of the product (H x W x D) (inc. door porthole) (mm)	848 x 598 x 590 (632)	848 x 598 x 590 (632)	848 x 598 x 590 (632)	848 x 598 x 590 (632)
Door opening angle	171°	171°	171°	171°

- = No	

 $^{^{1}}$ On an energy-efficiency class scale from A to G 2 Energy consumption in kWh/100 operating cycles (using Eco 40-60 programme)

	WARRE				
ТҮРЕ	WASHER	WASHER	WASHER	WASHER	
DESIGN FAMILY	SERIE 6	SERIE 6	SERIE 6	SERIE 6	
MODEL	WAU28PH9GB	WAU28R90GB WAU28TS1GE		B WAU28T64GB	
KEY FEATURES			SILVER INOX		
Home Connect	•	-	-		
-DOS detergent dosing system	•	-		-	
SpeedPerfect	•	•	•	•	
Reload facility	•	•	•	•	
Stain Removal system	AntiStain (4) via app	AntiStain (4)	•	-	
EcoSilence Drive	•	•	•	•	
AntiVibration design	•	•	•	•	
Reduced ironing option	•	•	•	•	
Reduced noise option	-	•	•	-	
4D Wash system	-	-	•	-	
ntensive Plus					
Consumption indicator	EcoBar Plus	EcoBar Plus	EcoBar	EcoBar	
ADDITIONAL FEATURES					
lime delay	24 hours	24 hours	24 hours	24 hours	
Child lock	•	•	•	•	
rum interior light	•	-	-	-	
Safety	AquaStop	Multiple Water Protection	Multiple Water Protection	Multiple Water Protection	
PROGRAMMES / FUNCTIONS					
co 40-60	•	•	•	•	
ottons	•	•	•	•	
uper Quick 15/30	•	•	•	•	
llergyPlus	-		•	•	
asy-care	•	•	•	•	
fixed Load	•	•	•	•	
Vool	•	•	•	•	
Delicates/Silk	•	•	•	•	
portswear	-	•	•	•	
lark Wash/EasyCare plus/ Jeans	•	•	-	•	
hirts and blouses	•	•	•	•	
Duvet/ Down wear	-	-	-	_	
pwels	-		-		
Curtains	-	-	-	-	
uto programmme	•	-	-	-	
lemory programme	-	-	-		
rum Clean	•	•	•	•	
xtra Rinse	•	•	-	•	
re Wash	•	•	•	•	
inse/Spin	•	•		•	
inse hold	•	•	•	•	
oak	-		-		
ariable Temperature/Variable Spin	•/•	•/•	•/•	•/•	
PERFORMANCE / TECHNICAL INFORMATION					
inergy efficiency class ¹	A C	A C	A C	â C	
oad capacity (kg)	1-9	1-9	1-9	1-9	
nergy ² / Water ³ (kWh / litres)	66 / 44	66 / 44	66 / 44	66 / 44	
Programme duration4 (h:mm)	3:37	3:37	3:37	3:37	
Maximum spin speed (rpm) ⁵	1400	1400	1400	1400	

848 x 598 x 590 (632)

845 x 598 x 590 (633)

171°

Dimensions of the product (H x W x D) (inc. door porthole) (mm)

Spin efficiency class Noise level (dB(A) re 1 pW)

Door opening angle

For full specification details, please log onto our website and download a full specification sheet.

5 Year Warranty Promotion dates 01.04.21 – 31.03.22. T&C's apply. Online registration required. Selected models only.

848 x 598 x 590 (632)

72

848 x 598 x 590 (632)

³Water consumption in litres/operating cycle (using Eco 40-60 programme) ⁴Duration of Eco 40-60 programme ⁵The specified value is rounded. **Data valid in this table as of April 2021.** Subject to modification without prior notice.

For full specification details, please log onto our website and download a full specification sheet.

^{● =} Yes -= No 1 On an energy-efficiency class scale from A to G 2 Energy consumption in kWh/100 operating cycles (using Eco 40-60 programme)

³ Water consumption in litres/operating cycle (using Eco 40-60 programme) ⁴ Duration of Eco 40-60 programme ⁵ The specified value is rounded. **Data valid in this table as of April 2021.** Subject to modification without prior notice.









ТҮРЕ	WASHER	WASHER	WASHER	WASHER	WASHER
DESIGN FAMILY	SERIE 6	SERIE 6	SERIE 4	SERIE 4	SERIE 4
MODEL	WAU24T64GB	WAU28S80GB	WAN282X1GB	WAN28281GB	WAN24109GB
KEY FEATURES			SILVER INOX		
Home Connect	·	-	-	-	-
i-DOS detergent dosing system	-	•	•	•	-
SpeedPerfect	•	•	•	•	•
Reload facility	•	•	•	•	•
Stain Removal system	•	•	•	•	•
EcoSilence Drive	•	•	•	•	•
AntiVibration design	•	•	•	•	•
Reduced ironing option	•	-	-	-	•
Reduced noise option	•	•	•	•	•
4D Wash system	-	-	-	-	-
Intensive Plus			•	•	•
Consumption indicator	EcoBar	EcoBar	*	•	-
ADDITIONAL FEATURES					
Time delay	24 hours				
Child lock	•				•
Drum interior light	-	-	-	-	-
Safety	Multiple Water Protection				
PROGRAMMES / FUNCTIONS					
Eco 40-60	•	•	•		•
Cottons	•	•	•	•	•
Super Quick 15/30	•	•	•	•	•
AllergyPlus		-			•
Easy-care		•	•	•	•
Mixed Load	•	•	•	•	•
Wool	•	•	•	•	•
Delicates/Silk	•	•	•	•	•
Sportswear	•	•	•	•	•
Dark Wash/EasyCare plus/ Jeans	•	-/•	•	•	•
Shirts and blouses	•	•	•	•	•
Duvet/ Down wear	-	-	-	-	-
Towels	-	-	-	-	-
Curtains	-	-	-	-	-
Auto programmme	-	•	-	-	-
Memory programme	-	-	-	-	-
Drum Clean	•	•	-	-	-
Extra Rinse	•	•	•	•	•
Pre Wash	•	•	•	•	•
Rinse/Spin	•	•	•	•	•
Rinse hold	•	•	•	•	•
Soak	-	•			-
Variable Temperature/Variable Spin	•/•	•/•	•/•	•/•	•/•
PERFORMANCE / TECHNICAL INFORMATION					
Energy efficiency class ¹	â C	â C	C	C	A C
	1-9	1-8			
Load capacity (kg) Energy ² / Water ³ (kWh / litres)	66/44	62/43	1 - 8 63 / 48	1-8 63/48	1 · 8 63 / 48
Programme duration ⁴ (h:mm)	3:37	3:29	3:35	3:35	3:29
Maximum spin speed (rpm) ⁵	1200	1400	1400	1400	1200
Spin efficiency class	1200 B	1400 B	1400 B	1400 B	B
Noise level (dB(A) re 1 pW)	72	72	74	74	76
Noise emission class	/ 2 A	A A	В	В	В
Dimensions of the product (H x W x D) (inc. door porthole) (mm)	848 x 598 x 590 (632)	845 x 598 x 590 (633)	848 x 598 x 550 (600)	848 x 598 x 550 (600)	848 x 598 x 550 (600)
Door opening angle	040 X 330 X 330 (032)	4740	1900	1000	1000

171°

Door opening angle

171°

Washer dryers









	100			
				Available April 2021
				•
TYPE	WASHER DRYER	WASHER DRYER	WASHER DRYER	WASHER DRYER
DESIGN FAMILY	SERIE 6	SERIE 6	SERIE 6	SERIE 4
DESIGN FAMILY	SENIE 0	JENIE 0	SENIE 0	SERIE 4
MODEL	WDU28569GB	WDU28561GB	WNA14490GB	WNA134U8GB
KEY FEATURES	SILVER INOX	WHITE	WHITE	WHITE
CoSilence Drive	•	•	•	•
peedPerfect	•	•	•	•
eload facility	•	•	•	•
utoDry function	•		•	•
elf cleaning condenser	•	•	•	•
		•	•	•
DDITIONAL FEATURES				
me delay / Time Remaining	•	•	•	•
hild safety lock	•	•	•	•
later protection system	Multiple water protection	Multiple water protection	Multiple water protection	AquaSecure
PROGRAMMES				
on Assist	•	•	•	•
ygieneCare	:	•	•	•
	•	•	-	•
lergy+	-	•	•	· · · · · · · · · · · · · · · · · · ·
uper Quick 15	•	•	•	•
ash & Dry 60 mins	•	•	•	•
ottons	•	•	•	•
asy-care programme	•	•	•	•
ool programme	•	•	•	•
elicates/ Silk	•	•	•	•
tensive Dry	•	•	•	•
entle Dry	•	•	•	•
ly Time Wash & Dry				_
ly Time Dry	_	<u>. </u>	_	_
inse	•	_		
	<u> </u>	<u>.</u>	<u>.</u>	
pin/ Drain	•	•	•	•
lemory	•	•	•	<u>-</u>
rum Clean	•	•	-	-
portswear	•	•	-	•
ixed Load	•	•	•	•
educed noise wash /dry	•	•	-	-
educed ironing	•	•	•	•
qua Plus/ Rinse Plus	•	•	-	-
e wash	•	•	•	•
ariable Temperature/ Spin	•	•	•	•
PERFORMANCE / TECHNICAL INFORMATION				
	A P	A	A	A
nergy efficiency class washing and drying ¹	A B	A E	A E	A E
nergy efficiency class washing ²	å C	₹ C	å C	å C
nergy³ / Water⁴ washing and drying (kWh / litres)	364 / 87	364/87	372/84	313 / 70
nergy ^s / Water ^s washing (kWh / litres)	67 / 41	67/41	64/41	63 / 41
pad capacity washing and drying / washing (kg)	1-6/1-10	1-6/1-10	1-6/1-9	1-5/1-8
rogramme duration? washing and drying / washing (h:mm)	6:51/3:53	6:51/3:53	7:45 / 3:45	7:30 / 3:32
pin efficiency class	B	B	B	B
pin speed8 (rpm)	1400	1400	1400	1400
oise level (dB(A) re 1 pW)	70	70	69	70
oise emission class	A	Α	A	A
imensions of the product (H x W x D) (inc. door porthole) (mm)	848 x 598 x 616 (654)	848 x 598 x 616 (654)	848 x 598 x 590 (636)	848 x 598 x 590 (649)
loor opening angle	130°	130°	165°	165°

For full specification details, please log onto our website and download a full specification sheet.

¹ On an energy-efficiency class scale from A to G² Energy consumption in kWh/100 operating cycles (using Eco 40-60 programme)

³ Water consumption in litres/operating cycle (using Eco 40-60 programme)

⁴ Duration of Eco 40-60 programme

⁵ The specified value is rounded. **Data valid in this table as of April 2021.** Subject to modification without prior notice.

 $^{^{1,2}}$ On an energy-efficiency class scale from A to G 3 Energy consumption in kWh/100 complete operating cycles (using Eco 40-60 programme)

⁴ Water consumption in litres/complete operating cycle (using Eco 40-60 programme) ⁵ Energy consumption in kWh/100 wash cycles (using Eco 40-60 programme) ⁶ Water consumption in litres/wash cycle (using Eco 40-60 programme) ⁷ Duration of Eco 40-60 programme, complete operating cycle / wash cycle

⁸ The specified value is rounded. **Data valid in this table as of April 2021.** Subject to modification without prior notice.

Tumble dryers

Tumble dryer functions explained.

(Check model for available functions)

SmartDry

With Bosch SmartDry enabled by Home Connect, detailed information from the last wash cycle is sent from the connected washing machine to the dryer. The dryer will then select the most suitable programme/settings and precisely adjust the expected duration.



AutoDry

With AutoDry sensor technology you can ensure gentle and precise drying results. AutoDry automatically knows when your load is perfectly dry by constantly measuring the humidity, protecting your clothes against overheating.



Time Delay

Have your laundry ready when you need it. Just delay the start of your programme with one simple button.



AntiVibration Design

A spiral design on the side of the washing machine that increases stability and reduces vibration. This makes for a quieter machine with improved sound dampening.



Iron Assist

Bosch heat pump dryers with Iron Assist reduce or even eliminate the need to iron. A fine mist is created inside the drum which permeates the gently warmed contents and visibly smooths laundry.



SelfCleaning Condenser

The SelfCleaning Condenser cleverly uses condensation water to automatically clean itself up to four times per drying cycle. This ensures maximum efficiency for the entire working life of the machine – so you'll never have to worry about the condenser again.



AutoClean

With AutoClean technology, the lint and fluff will automatically be flushed and safely stored after every cycle, giving you peace of mind and efficient running. The machine will remind you to empty it after 20 cycles. No need to empty the door filter after every cycle, as with a regular machine.



EasyClean

The EasyClean condenser filter is simple to access and only needs cleaning after every 20 cycles*.

*Door filter still requires cleaning after every cycle.



Heat pump dryers – dry economically.

Unlike conventional dryers, our **Heat Pump Dryers** don't use energy intensive heating elements to heat the air. Instead, we use a heat pump. This innovative component conserves and reuses the hot air which provides most of the energy needed for the drying process.

Short on space? Have you considered a stacking kit?

Please refer to compatibility list on page 91



Model shown: WTX88RH9GB

Serie 8

WTX88EH9GB


Home Connect: home appliances with smart connectivity for an easier everyday life.







For full specification details, please log onto our website and download a full specification sheet



● = Yes - = N

The programme Cotton cupboard dry used at full and partial loads is the standard drying programme to which the information on the energy label refers. Annual consumption is based on 160 drying cycles.

Data valid in this table as of April 2021. Subject to modification without prior notice.



Making life easy through innovative technologies

Tumble dryers







ТҮРЕ	DRYER	DRYER	DRYER
DESIGN FAMILY	SERIE 8	SERIE 6	SERIE 6
MODEL	WTX88RH9GB	WTWH7660GB	WTR88T81GB
KEY FEATURES			
Heat Pump	•	•	•
Home Connect	•	•	-
SmartDry	•	-	-
Iron Assist	-	-	-
AutoClean	•	•	-
SelfCleaning Condenser	-	•	-
EasyClean filter	•	•	•
ADDITIONAL FEATURES			
AutoDry	•	•	•
Anti crease cycle (mins)	120	120	60
Time delay / Time Remaining	•/•	•/•	•/•
Drum interior light	•	•	•
Water container full / blocked filter warning indicator	•/•	•/•	●/●
Child lock	•	•	•
PROGRAMMES/FUNCTIONS			
Cottons	•	•	•
Easy-care	•	•	•
Woollen Finish	•	•	•
SuperQuick 40	•	•	•
Timed programmes	•	•	•
Mixed Load	•	•	•
Sportswear	•	•	•
Towels	•	•	•
Delicates	•	•	•
Down Wear	•	•	•
Shirts and blouses	•	•	•
Allergy+	•	•	•
Wool / Trainer basket	•	-	-
Memory / My Favourite	•	-/•	•
Shirts 15	•	•	•
End of cycle indicator	•	•	•
Low Heat option	•	•	•
Crease Guard	•	•	•
PERFORMANCE / TECHNICAL INFORMATION			
Energy efficiency class	A+++	A+++	A+++
Capacity cotton (kg)	9	9	8
Energy consumption annual (kWh/annum)	193	243	176
Condensation efficiency class	В	A	A
Condensation efficiency for standard cotton programme on full and partial load	88%	91%	91%
Ambient temperature range	5-35°C	5-35°C	5-35℃
Noise level (dB(A) re 1pW)	62	64	64
Dimensions of the product (inc. door) (cm)	842 x 598 x 599 (652)	842 x 598 x 599 (652)	842 x 598 x 599 (634)
Door opening angle	170°	180°	170°
Door hinge position	Right-hand	Right-hand	Right-hand
Plumbing out possible?	Yes	Yes	Yes
Draining kit included?	Yes	Yes	Yes



• = Yes -= No
The programme cotton cupboard dry used at full and partial loads is the standard drying programme to which the information on the energy label refers. This is the most efficient programme in terms of energy consumption for cotton.

Annual consumption is based on 160 drying cycles. Data valid in this table as of April 2021. Subject to modification without prior notice.









ТҮРЕ	DRYER	DRYER	DRYER	DRYER
DESIGN FAMILY	SERIE 6	SERIE 4	SERIE 4	SERIE 4
MODEL	WTG86402GB	WTW85231GB	WTH85222GB	WTN85201GB
KEY FEATURES				
Heat Pump	-	•	•	-
Home Connect	-	-	-	-
SmartDry	-	-	-	-
ron Assist	-			-
utoClean	-	-	-	-
elfCleaning Condenser	-	•	-	-
asyClean filter	•		•	-
ADDITIONAL FEATURES				
utoDry	•	•	•	•
unti crease cycle (mins)	120	60	60	120
ime delay / Time Remaining	●/●	●/●	•/•	●/●
rum interior light	•/•	•/•	-,-	•/•
Vater container full / blocked filter warning indicator	•/•	•/•	•/•	•/•
hild lock		•/•		•/•
	•	•	•	•
PROGRAMMES/FUNCTIONS				
Cottons	•	•	•	•
asy-care	•	•	•	•
/oollen Finish	•	•	•	•
uperQuick 40	•	•	•	•
imed programmes	•	•	•	•
lixed Load	•	•	•	•
portswear	•	•	•	•
owels	-	•	•	-
elicates	-	•	-	-
Oown Wear	•	•	•	•
hirts and blouses	-	•	•	-
llergy+	•	-	-	•
Vool / Trainer basket	-	-	-	-
Memory / My Favourite	-	-	-	-
Shirts 15	•	-	-	•
nd of cycle indicator	•	•	•	•
ow Heat option	•	•	•	•
rease Guard	•	•	•	•
PERFORMANCE / TECHNICAL INFORMATION				
nergy efficiency class	В	A++	A++	В
apacity cotton (kg)	8	8	8	7
nergy consumption annual (kWh/annum)	561	224	236	499
ondensation efficiency class	В	В	В	В
ondensation efficiency for standard cotton programme on full and partial load	88%	83%	81%	88%
mbient temperature range	5-35°C	5-35°C	5-35°C	5-35°C
oise level (dB(A) re 1pW)	65	64	65	65
imensions of the product (inc. door) (cm)	842 x 598 x 599 (652)			
Oor opening angle	175°	175°	170°	175°
p0 ampro				
nor hinge position	Right-hand	Right-hand		
Door hinge position Plumbing out possible?	Right-hand Yes	Right-hand Yes	Right-hand Yes	Right-hand Yes

• = Yes -= No

The programme cotton cupboard dry used at full and partial loads is the standard drying programme to which the information on the energy label refers. This is the most efficient programme in terms of energy consumption for cotton.

Annual consumption is based on 160 drying cycles. Data valid in this table as of April 2021. Subject to modification without prior notice.

Introducing the Bosch dishwasher range.

All our freestanding dishwashers offer a range of advanced technologies, such as Home Connect now as standard and additional options across the range to suit your individual requirements.

To help you choose the right Bosch dishwasher, we have divided them into the four ranges below.











Our Serie 8 range combines cutting-edge design and advanced technology, including Home Connect. The PerfectDry function absorbs moisture before releasing it as hot air for energy-efficient drying. Exceptionally quiet, offering additional storage and flexible loading solutions with Max Flex Pro baskets, our Serie 8 dishwasher is a perfect solution for busy households.

Serie 6


Our Serie 6 range comes packed with technology, from energy and watersaving saving modes to quick washes for when time is at a premium. They also feature our clever **PerfectDry** technology and handy features such as Max Flex baskets, Extra Space 3rd Basket, Extra Clean Zone and EfficientDry.

Serie 4


Our Serie 4 models offer great value for money but do not compromise on Bosch build quality. They combine excellent washing results and multiple programmes for different loads. In addition offer Max Flex baskets with foldable racks in the lower basket.

Serie 2

Our Serie 2 dishwashers offer you the classic design with easy operation. They are the optimal solution for anyone who wants a reliable appliance with good value for money. Now all Bosch dishwashers come with Home Connect as standard.



AND DESCRIPT OF RESERVE MADE AND ASSESSMENT



The dish dryer among dishwashers.

A clever function that dries everything to perfection. And we do mean everything plates, pans, glasses and all plastic items. Everything will be completely clean and perfectly dry, so you'll never have to pick up a tea towel to finish the job again.

The technology behind **PerfectDry** unique to Bosch, is called **Zeolith®**. It is a process applied to every cycle that uses naturally occurring minerals, that heat up when they come into contact with water. Clever Zeolith® beads transform humidity into warm air that

speeds up the drying process. The warm air is then distributed evenly over the load.

So when you need a wash with brilliant drying results, it's time to choose Bosch.



SST ExtraDry

Want your dishes extra dry? No problem. This function gives you even more drying power when you need it. Just choose the ExtraDry option and more heat will be created to extend your load's drying cycle.

EfficientDry

Automatically opens your dishwasher door, offering better drying results compared to a closed door (after 30 minutes). Select this feature via the Home Connect app, available on all programmes except pre-rinse and machine care.



A dishwasher for every kitchen.

All our freestanding dishwashers have Home Connect for the ultimate level of control via voice, wearable and device. Making it easier to adjust settings to suit your needs from water hardness to time delay.







Compact

Different types of control.




TFT Display with top edge touch control



LED Display with button control

Serie 6







LED Display with with touch control

Serie 2




LED Display with toggle control


Bosch dishwa	asher programmes.		
PROGRAMME NAME	ITEMS SUITABLE FOR PROGRAMME	TYPE OF SOILING	ADDITIONAL OPERATIONAL OPTIONS
Economy 50°C	Mixed utensils & cutlery	Part dried, common household food remnants	All
Intensive 70°C	Pots, pans, non-sensitive utensils & cutlery	Very stubborn burned or dried-on food remains containing starch or protein	All
Auto 45-65°C	Mixed utensils & cutlery	Part dried, common household food remnants	All
Glass 40°C	Sensitive utensils, cutlery, temperature-sensitive plastic & glass	Lightly adhering, fresh food remains	IntensiveZone, SpeedPerfect+, Half load, ExtraDry
Silence 50°C	Mixed utensils & cutlery	Part dried, common household food remnants.	IntensiveZone, Half load, Hygiene+, ExtraDry
Pre-rinse*	All types of dishes	Cold rinsing, intermediate cleaning.	None
Express 45°C*	Sensitive utensils, cutlery, temperature-sensitive plastic & glass	Lightly adhering, fresh food remains	ExtraDry
Express 65°C	Mixed utensils & cutlery	Part dried, common household food remnants.	ExtraDry
Express 60°C	Mixed utensils & cutlery	Part dried, common household food remnants	All
Machine Care	Run when empty	Thoroughly cleans your machine - use in combination with a standard machine care detergent	None
Favourite	Available on all dishwashers	Allows you to assign programme and option combinations to the Favourite programme via the Home Connect App	Pre-set favourite programme is pre-rinse

Where every pot has its place.

Choose the right basket flexibility options for your dishwashing needs.











Stainless steel fascias. Colour touch points as standard. Top rack flexible areas: 6 Bottom basket flexible areas: 8



Max Flex.

Brand coloured plastic fascias. Options with and without colour touch points. Top rack flexible areas: 2 Bottom basket flexible areas: 6



Flex.

Grey plastic fascias. Top rack flexible areas: 2 Bottom basket flexible areas: 2



Extra Space 3rd basket.

New top basket providing more loading space for small kitchen items. With sliding elements and a removable knife inlay, the Extra Space 3rd basket offers more space than ever.



ExtraClean Zone.

Extra thorough cleaning for heavily soiled items in the upper basket. This intensive zone doesn't need higher temperatures, it uses 3 jets to clean those stubborn items. So no more pre-soaking before going into the dishwasher!



Glassware support with smooth gliding baskets.

New anti-slip elements and stemware support within the upper basket will give extra protection to all glassware. Baskets will glide effortlessly along the internal brackets, thanks to our new pull out systems.

*Programme does not include drying in the cycle

Dishwashers functions explained

Whisper quiet washing.

Bosch dishwashers are amongst the quietest in the world. With the revolutionary **EcoSilence Drive**[™] there are dishwashers in the range which operate as low as 40 decibels, when the Silence programme is selected.

Machine care.

Your dishwasher will help look after itself with this smart function. Optimising the water and energy consumption, it works on a short run time of 80-90 minutes at high temperatures. It eliminates lime and grease deposits inside the dishwasher and works with a standard machine-care detergent. On selected Serie 8 and Serie 6 models, it will even remind you to run the programme every 30 cycles.

10 year anti-rust warranty.

Our appliances are made from top quality materials and in addition to our standard appliance warranty, we provide a free of charge warranty against rusting-through of the dishwasher's inner cavity.



(Check model for available functions)

ExtraDry

Want your dishes extra dry? No problem. This function gives you even more drying power when you need it. Just choose the ExtraDry option and more heat will be created to extend your load's drying cycle.



SpeedPerfect+

Our SpeedPerfect+ option reduces programme times without compromising on quality. So you still get hygienically clean and dry dishes but the duration of the cycle* is reduced by up to 50% - ideal for busy households and entertaining. *Except: Prewash, 1 hour and Quick 45° programme



Home Connect

To stay at their best, different dishes and glassware need to be washed in different ways. With the Bosch Home Connect app, simply tell your dishwasher what's in the load and it'll work out the perfect programme.



PerfectDrv

PerfectDry uses Zeolith technology that's applied to every cycle which uses minerals that heat up when they come in contact with water. This clever function dries everything to perfection from plates and pans to all plastic items.



EfficientDry automatically opens your dishwasher door, offering better drying results compared to a closed door (after 30 minutes). Select this feature via the Home Connect app, available on all programmes except pre-rinse and machine care.



Place Settings

A selection of our dishwashers will hold up to 14 place settings in one load - perfect for larger households.



Self-cleaning filters

Self-cleaning filter system, with spray arms designed to direct water at the filters on every rotation.

Please note, self-cleaning filters are designed to keep filters clear during the washing cycle. Regular filter cleaning and maintenance is still recommended



Get the most out of your detergent with DosageAssist; a small area at the front of the top basket that catches the tablet when it's released during the cycle. It controls how the tablet is dissolved for optimum performance.



Our 45cm models feature a twin spray arm in the top basket to ensure perfect water coverage every time.



Save water with every load and only use the right amount of water needed for each load.

Silence on demand

Up to 30 min noise reduction at any time via the Home Connect App.

Speed on demand

Have your load ready even quicker at any time via the Home Connect App.



60cm dishwashers

Serie 8

SMS8YCI01E



amazon alexa

Use your voice to start your dishwasher or even find out how long before your dishes are ready.



Tablet top-up

Smart reordering of dishwasher tablets can be used via the Amazon Alexa app. To use smart reorder via the Alexa app, start by enabling the **Home Connect** dishwasher skill.

Automatic replenishment and being reminded via mail is already supported, voice support will follow soon.







Home Connect is a service offered by Home Connect GmbH For more information on Home Connect please visit www.bosch

DISHWASHER TYPE	60CM DISHWASHER		
DESIGN FAMILY	SERIE 8		
MODEL	SMS8YCI01E		
Colour	Silver Inox		
DESIGN FEATURES			
Drying system	PerfectDry Zeolith / EfficientDry		
Home Connect WiFi connectivity	•		
Control panel type	Top edge touch control + TFT		
Basket description	MaxFlex Pro		
VarioDrawer / Extra Space 3rd Basket (3rd loading level)	VarioDrawer		
Extra Clean Zone	•		
Glass care technology	•		
Anti-slip protection and stemware support upper basket	•		
Adjustable upper basket	3-stage Rackmatic™		
Number of flip tines in upper / lower basket	6/8		
Cup shelves upper / lower baskets	2/2		
Cutlery holder lower basket	-		
Largest loadable dish upper / lower basket (cm)	21/31		
Load / Aqua sensor	•		
Real-time clock	•		
Start delay time max hours	24		
Time remaining indicator	•		
Emotion light (interior lighting)	•		
End of cycle indicator	Acoustic		
Salt / Rinse aid light indicator	•/•		
Self cleaning filter system	•		
Flood protection system	AquaStop 24h		
Safety features	Door lock		
PROGRAMMES / FUNCTIONS			
List of programmes	Eco 50°C, Auto 45-65°C, Intensive 70°C, Express 60°C, Express 45°C, Glass 40°C,		

Additional special options	Remote Start, Extra Dry, Intensive Zone, Hygiene+, SpeedPerfect+
TECHNICAL SPECIFICATIONS	
Reference programme for measurements	Eco 50°C
Energy efficiency class ¹	A B
Energy ² / water ³ (kWh / litres)	65 / 9.5
Load capacity (place settings)	14
Programme duration ⁴ (h:min)	3:55
Noise level (dB(A) re 1 pW)	43
Noise efficiency class	В
Noise level (silence programme) (dB(A) re 1 pW)	41
Maximum height adjustability feet (cm)	2
Depth with open door 90 degree (cm)	115.5
Length of electrical supply cord (cm)	175
Length inlet / outlet hose (cm)	165 / 190
Height of the product with removable top (cm)	84.5
Height of the product without removable top (cm)	81.5
Width / Depth of the product (cm)	60/60
Net weight / Gross weight (kg)	56/58
Water softener ^s	•
Maximum accepted water hardness (°DH)	50
Maximum temperature for water intake (°C)	60
Interior cavity	Stainless steel
Included accessories	•
● = Yes -= No	
¹ On an energy-efficiency class scale from A to G	

softener in the appliance is turned off. Please contact product advice for further information

Water pressure required: 0.5-10 Bar. Flow rate: 10 litres per minute. Inlet valve connected directly to ¾" screwed joint. Data valid in this table as of April 2021. Subject to modification without prior notice

² Energy consumption in kWh/100 operating cycles (using Eco programme

60cm dishwashers







60CM DISHWASHERS





DESIGN FAMILY	SERIE 6	SERIE 6	SERIE 6	SERIE 6	SERIE 6
MODEL	SMS6ZDW48G	SMS6EDI02G	SMS6EDW02G	SMS6ZCI00G	SMS6ZCW00G
Colour	White	Silver Inox	White	Silver Inox	White
DESIGN FEATURES					
Drying system	PerfectDry Zeolith	Heat exchanger / EfficientDry	Heat exchanger / EfficientDry	PerfectDry Zeolith	PerfectDry Zeolith
Home Connect WiFi connectivity	•	•	•	•	•
Control panel type	Front touch control + LED	Top edge button control + LED	Top edge button control + LED	Front button control + LED	Front button control + LED
Basket description	Max Flex	Max Flex	Max Flex	Flex	Flex
VarioDrawer / Extra Space 3rd Basket (3rd loading level)	Extra Space 3rd Basket	Extra Space 3rd Basket	Extra Space 3rd Basket	VarioDrawer	VarioDrawer
Extra Clean Zone	•	•	•	-	-
Glass care technology	•	•	•	•	•
Anti-slip protection and stemware support upper basket	•	•	•	-	-
Adjustable upper basket	2-stage Rackmatic™	2-stage Rackmatic™	2-stage Rackmatic™	3-stage Rackmatic™	3-stage Rackmatic™
Number of flip tines in upper / lower basket	2/6	2/6	2/6	2/2	2/2
Cup shelves upper / lower baskets	2/2	2/2	2/2	2/2	2/2
Cutlery holder lower basket	•	•	•	-,-	-,-
Largest loadable dish upper / lower basket (cm)	21/28	21/28	21/28	21/31	21/31
Load / Aqua sensor	•	•	•	•	•
Real-time clock	·	-	<u> </u>		-
Start delay time max hours	24	24	24	24	24
Time remaining indicator	•	•	•	•	•
Emotion light (interior lighting)		<u> </u>	-	<u> </u>	
End of cycle indicator		Acoustic	Acoustic		
	- / -			- / -	- / -
Salt / Rinse aid light indicator	•/•	•/•	•/•	•/•	•/•
Self cleaning filter system Flood protection system	A	• Internal	• Internal	laterard.	• Internal
	AquaStop 24h	Internal	Internal	Internal Control panel lock, door lock	Internal
Safety features	Control panel lock, door lock	Door lock	Door lock	Control panel lock, door lock	Control panel lock, door lock
PROGRAMMES / FUNCTIONS					
List of programmes	Eco 50 °C, Auto 45-65 °C, Intensive 70 °C, Express 60 °C, Express 45 °C, Glass 40 °C, Silence 50 °C, Favourite, Machine Care	Eco 50 °C, Auto 45-65 °C, Intensive 70 °C, Express 65 °C, Silence 50 °C, Favourite, Machine Care	Eco 50 °C, Auto 45-65 °C, Intensive 70 °C, Express 65 °C, Silence 50 °C, Favourite, Machine Care	Eco 50 °C, Auto 45-65 °C, Intensive 70 °C, Express 60 °C, Silence 50 °C, Favourite, Machine Care	Eco 50 °C, Auto 45-65 °C, Intensive 70 °C, Express 60 °C, Silence 50 °C, Favourite, Machine Care
Additional special options	Remote Start, Extra Dry, Intensive Zone, SpeedPerfect+	Remote Start, EfficientDry, Half Load, SpeedPerfect+	Remote Start, EfficientDry, Half Load, SpeedPerfect+	Remote Start, Extra Dry, Half Load, SpeedPerfect+	Remote Start, Extra Dry, Half Load, SpeedPerfect+
TECHNICAL SPECIFICATIONS					
Reference programme for measurements	Eco 50°C	Eco 50°C	Eco 50°C	Eco 50°C	Eco 50°C
			â C		
Energy efficiency class ¹	A C	å €		å C	e C
Energy ² / water ³ (kWh / litres)	74/9.5	74/9.5	74/9.5	75 / 9.5	75 / 9.5
Load capacity (place settings)	13	13	13	14	14
Load capacity (place settings) Programme duration* (h:min)	13 3:55	13 4:35	13 4:35	14 3:55	14 3:55
Programme duration ⁴ (h:min)	3:55	4:35	4:35	3:55	3:55
Programme duration ⁴ (h:min) Noise level (dB(A) re 1 pW)	3:55 42	4:35 46	4:35 46	3:55 44	3:55 44
Programme duration ⁴ (h:min) Noise level (dB(A) re 1 pW) Noise efficiency class	3:55 42 B	4:35 46 C	4:35 46 C	3:55 44 B	3:55 44 B
Programme duration ⁴ (h:min) Noise level (dB(A) re 1 pW) Noise efficiency class Noise level (silence programme) (dB(A) re 1 pW)	3:55 42 B 40	4:35 46 C 43	4:35 46 C 43	3:55 44 B 42	3:55 44 B 42
Programme duration ⁴ (h:min) Noise level (dB(A) re 1 pW) Noise efficiency class Noise level (silence programme) (dB(A) re 1 pW) Maximum height adjustability feet (cm)	3:55 42 B 40 2	4:35 46 C 43 2	4:35 46 C 43 2	3:55 44 B 42 2	3:55 44 B 42 2
Programme duration ⁴ (h:min) Noise level (dB(A) re 1 pW) Noise efficiency class Noise level (silence programme) (dB(A) re 1 pW) Maximum height adjustability feet (cm) Depth with open door 90 degree (cm)	3:55 42 B 40 2 115.5	4:35 46 C 43 2 115.5	4:35 46 C 43 2 115.5	3:55 44 B 42 2 115.5	3:55 44 B 42 2 115.5
Programme duration ⁴ (h:min) Noise level (dB(A) re 1 pW) Noise efficiency class Noise level (silence programme) (dB(A) re 1 pW) Maximum height adjustability feet (cm) Depth with open door 90 degree (cm) Length of electrical supply cord (cm)	3:55 42 B 40 2 115.5 175	4:35 46 C 43 2 115.5 175	4:35 46 C 43 2 115.5 175	3:55 44 8 42 2 115.5 175	3:55 44 B 42 2 115.5 175
Programme duration ⁴ (h:min) Noise level (dB(A) re 1 pW) Noise efficiency class Noise level (silence programme) (dB(A) re 1 pW) Maximum height adjustability feet (cm) Depth with open door 90 degree (cm) Length of electrical supply cord (cm) Length inlet / outlet hose (cm)	3:55 42 B 40 2 115.5 175 165/190	4:35 46 C 43 2 115.5 175 150/190	4:35 46 C 43 2 115.5 175	3:55 44 8 42 2 115.5 175 165/190	3:55 44 8 42 2 115.5 175 165/190
Programme duration* (h:min) Noise level (dB(A) re 1 pW) Noise efficiency class Noise level (silence programme) (dB(A) re 1 pW) Maximum height adjustability feet (cm) Depth with open door 90 degree (cm) Length of electrical supply cord (cm) Length inlet / outlet hose (cm) Height of the product with removable top (cm)	3:55 42 B 40 2 115.5 175 165/190 84.5	4:35 46 C 43 2 115.5 175 150/190 84.5	4:35 46 C 43 2 115.5 175 165/190 84.5	3:55 44 B 42 2 115.5 175 165/190 84.5	3:55 44 B 42 2 115.5 175 165/190 84.5
Programme duration* (h:min) Noise level (dB(A) re 1 pW) Noise efficiency class Noise level (silence programme) (dB(A) re 1 pW) Maximum height adjustability feet (cm) Depth with open door 90 degree (cm) Length of electrical supply cord (cm) Length inlet / outlet hose (cm) Height of the product with removable top (cm) Height of the product without removable top (cm)	3:55 42 B 40 2 115.5 175 165/190 84.5 81.5	4:35 46 C 43 2 115.5 175 150/190 84.5 81.5	4:35 46 C 43 2 115.5 175 165/190 84.5 81.5	3:55 44 8 42 2 115.5 175 165/190 84.5 81.5	3:55 44 B 42 2 115.5 175 165/190 84.5 81.5
Programme duration* (h:min) Noise level (dB(A) re 1 pW) Noise efficiency class Noise level (silence programme) (dB(A) re 1 pW) Maximum height adjustability feet (cm) Depth with open door 90 degree (cm) Length of electrical supply cord (cm) Length inlet / outlet hose (cm) Height of the product with removable top (cm) Height of the product without removable top (cm) Width / Depth of the product (cm)	3:55 42 B 40 2 115.5 175 165/190 84.5 81.5 60/60	4:35 46 C 43 2 115.5 175 150/190 84.5 81.5 60/60	4:35 46 C 43 2 115.5 175 165/190 84.5 81.5 60/60	3:55 44 B 42 2 115.5 175 165/190 84.5 81.5 60/60	3:55 44 B 42 2 115.5 175 165/190 84.5 81.5 60/60
Programme duration* (h.min) Noise level (dB(A) re 1 pW) Noise efficiency class Noise level (silence programme) (dB(A) re 1 pW) Maximum height adjustability feet (cm) Depth with open door 90 degree (cm) Length of electrical supply cord (cm) Length initel, outlet hose (cm) Height of the product without removable top (cm) Width / Depth of the product (cm) Net weight / Gross weight (kg)	3:55 42 B 40 2 115.5 175 165/190 84.5 81.5 60/60 55/58	4:35 46 C 43 2 115.5 175 150/190 84.5 81.5 60/60 43/45	4:35 46 C 43 2 115.5 175 165/190 84.5 81.5 60/60 43/45	3:55 44 B 42 2 115.5 175 165/190 84.5 81.5 60/60 35/38	3:55 44 B 42 2 115.5 175 165/190 84.5 81.5 60/60 35/38
Programme duration ⁴ (h:min) Noise level (dB(A) re 1 pW) Noise efficiency class Noise level (silence programme) (dB(A) re 1 pW) Maximum height adjustability feet (cm) Depth with open door 90 degree (cm) Length of electrical supply cord (cm) Length inlet / outlet hose (cm) Height of the product with removable top (cm) Width / Depth of the product (cm) Net weight / Gross weight (kg) Water softener ⁵	3:55 42 B 40 2 115.5 175 165/190 84.5 81.5 60/60 55/58	4:35 46 C 43 2 115.5 175 150/190 84.5 81.5 60/60 43/45	4:35 46 C 43 2 115.5 175 165/190 84.5 81.5 60/60 43/45	3:55 44 8 42 2 115.5 175 165/190 84.5 81.5 60/60 35/38	3.55 44 B 42 2 115.5 175 165/190 84.5 81.5 60/60 35/38
Programme duration ⁴ (h:min) Noise level (dB(A) re 1 pW) Noise efficiency class Noise level (silence programme) (dB(A) re 1 pW) Maximum height adjustability feet (cm) Depth with open door 90 degree (cm) Length of electrical supply cord (cm) Length inlet / outlet hose (cm) Height of the product with removable top (cm) Height of the product (cm) Net weight / Gross weight (kg) Water softener ⁵ Maximum accepted water hardness (*DH)	3:55 42 B 40 2 115.5 175 165/190 84.5 81.5 60/60 55/58 • 50	4:35 46 C 43 2 115.5 175 150/190 84.5 81.5 60/60 43/45	4:35 46 C 43 2 115.5 175 165/190 84.5 81.5 60/60 43/45 • 50	3:55 44 8 42 2 115.5 175 165/190 84.5 81.5 60/60 35/38 • 50	3.55 44 B 42 2 115.5 175 165/190 84.5 81.5 60/60 35/38 • 50



DISHWASHER TYPE











DISHWASHER TYPE			60CM DISHWASHERS		
DESIGN FAMILY	SERIE 4				
MODEL	SMS4HDW52G	SMS4HCI40G	SMS4HCW40G	SMS4HAI40G	SMS4HAW40G
Colour	White	Silver Inox	White	Silver Inox	White
DESIGN FEATURES					
Drying system	Heat exchanger				
Home Connect WiFi connectivity	•	•	•	•	•
Control panel type	Front button control + LED				
Basket description	Max Flex	Flex	Flex	Flex	Flex
VarioDrawer / Extra Space 3rd Basket (3rd loading level)	Extra Space 3rd Basket	VarioDrawer	VarioDrawer	-	
Extra Clean Zone	•	-	-	-	
Glass care technology	•	•	•	•	•
Anti-slip protection and stemware support upper basket	•	-	-	-	-
Adjustable upper basket	2-stage Rackmatic™	3-stage Rackmatic™	3-stage Rackmatic™	3-stage Rackmatic™	3-stage Rackmatic™
Number of flip tines in upper / lower basket	2/6	2/2	2/2	2/2	2/2
Cup shelves upper / lower baskets	2/2	2/2	2/2	2/-	2/-
Cutlery holder lower basket	•	-	-	•	•
Largest loadable dish upper / lower basket (cm)	21/28	21/31	21/31	27/31	27/31
Load / Aqua sensor	•	•	•	1	I
Real-time clock	-	-	-	-	
Start delay time max hours	24	24	24	24	24
Time remaining indicator	•	•	•	•	•
Emotion light (interior lighting)	-	-	-	-	
End of cycle indicator	-	-	-	-	
Salt / Rinse aid light indicator	•/•	•/•	•/•	•/•	•/•
Self cleaning filter system	•	•	•	•	•
Flood protection system	Internal	Internal	Internal	Internal	Internal
Safety features	Control panel lock, door lock				
PROGRAMMES / FUNCTIONS					
	Eco 50 °C, Auto 45-65 °C,				

List of programmes	Eco 50 °C, Auto 45-65 °C, Intensive 70 °C, Express 65 °C, Silence 50 °C, Favourite, Machine Care	Eco 50 °C, Auto 45-65 °C, Intensive 70 °C, Express 65 °C, Silence 50 °C, Favourite, Machine Care	Eco 50 °C, Auto 45-65 °C, Intensive 70 °C, Express 65 °C, Silence 50 °C, Favourite, Machine Care	Eco 50 °C, Auto 45-65 °C, Intensive 70 °C, Express 65 °C, Silence 50 °C, Favourite, Machine Care	Eco 50 °C, Auto 45-65 °C, Intensive 70 °C, Express 65 °C, Silence 50 °C, Favourite, Machine Care
Additional special options	Remote Start, Extra Dry, Half Load, SpeedPerfect+				
TECHNICAL SPECIFICATIONS					
Reference programme for measurements	Eco 50°C				
Energy efficiency class ¹	â D	A D	â D	â D	â D
Energy ² / water ³ (kWh / litres)	84/9.5	85 / 9.5	85 / 9.5	84 / 9.5	84 / 9.5
Load capacity (place settings)	13	14	14	13	13
Programme duration ⁴ (h:min)	4:55	4:55	4:55	4:55	4:55
Noise level (dB(A) re 1 pW)	44	46	46	46	46
Noise efficiency class	В	С	С	С	С
Noise level (silence programme) (dB(A) re 1 pW)	41	43	43	43	43
Maximum height adjustability feet (cm)	2	2	2	2	2
Depth with open door 90 degree (cm)	115.5	115.5	115.5	115.5	115.5
Length of electrical supply cord (cm)	175	175	175	175	175
Length inlet / outlet hose (cm)	165 / 190	165 / 190	165 / 190	165 / 190	165 / 190
Height of the product with removable top (cm)	84.5	84.5	84.5	84.5	84.5
Height of the product without removable top (cm)	81.5	81.5	81.5	81.5	81.5
Width / Depth of the product (cm)	60 / 60	60 / 60	60/60	60/60	60 / 60
Net weight / Gross weight (kg)	43 / 45	35/38	50/53	56/58	56/58
Water softener ⁵	•	•	•	•	•
Maximum accepted water hardness (°DH)	50	50	50	50	50
Maximum temperature for water intake (°C)	60	60	60	60	60
Interior cavity	Stainless steel				
Included accessories	Large item spray head				

¹On an energy-efficiency class scale from A to G ² Energy consumption in kWh/100 operating cycles (using Eco programme)

³Water consumption in litres/operating cycle (using Eco programme)

⁴Duration of Eco programme

[&]quot;We would recommend our dishwashers are connected to the mains water supply where possible. However, they may also be connected to an external water softener as long as the water softener produces softened water of less than 1.1 mmo/litre (7.0°e) and the water softener in the appliance is turned off. Please contact product advice for further information. Water pressure required: 0.5-10 Bar. Flow rate: 10 litres per minute. Inlet valve connected directly to % screwed joint.

Data valid in this table as of April 2021. Subject to modification without prior notice.

 $^{^{\}rm 1}\!$ On an energy-efficiency class scale from A to G

²Energy consumption in kWh/100 operating cycles (using Eco programme)

³Water consumption in litres/operating cycle (using Eco programme)

⁴Duration of Eco programme

We would recommend our dishwashers are connected to the mains water supply where possible. However, they may also be connected to an external water softener as long as the water softener produces softened water of less than 1.1 mmo/litre (7.0°e) and the water softener in the appliance is turned off. Please contact product advice for further information. Water pressure required: 0.5-10 Bar. Flow rate: 10 litres per minute. Inlet valve connected directly to % screwed joint.

Data valid in this table as of April 2021. Subject to modification without prior notice.

60cm dishwashers



DISHWASHER TYPE		60CM DISHWASHERS				
DESIGN FAMILY	SERIE 2	SERIE 2	SERIE 2	SERIE 2	SERIE 2	SERIE 2
MODEL	SMS2HKI66G	SMS2HKW66G	SMS2HVI66G	SMS2HVW66G	SMS2ITI41G	SMS2ITW41G
Colour	Silver Inox	White	Silver Inox	White	Silver Inox	White
DESIGN FEATURES						
Drying system	Heat exchanger	Heat exchanger	Heat exchanger	Heat exchanger	Inherent heat	Inherent heat
Home Connect WiFi connectivity	•	•	•	•	•	•
Control panel type	Front toggle control + LED	Front toggle control + LED	Front toggle control + LED	Front toggle control + LED	Front toggle control + LED	Front toggle control + LED
Basket description	Vario	Vario	Vario	Vario	Vario	Vario
VarioDrawer / Extra Space 3rd Basket (3rd loading level)	•	•	VarioDrawer	VarioDrawer	*	*
Extra Clean Zone	•	•	-	-	-	
Glass care technology	•	•	•	•	•	•
Anti-slip protection and stemware support upper basket					*	
Adjustable upper basket	Adjustable when empty	Adjustable when empty	3-stage Rackmatic™	3-stage Rackmatic™	Adjustable when empty	Adjustable when empty
Number of flip tines in upper / lower basket	-/2	-/2 -/-	-/2	-/2	-/2	-/2
Cut locu holder lower backet	-/-		2/-	2/-	-/-	-/-
Cutlery holder lower basket Largest loadable dish upper / lower basket (cm)	• 27/31	• 27/31	21/31	21/31	• 27/31	27/31
Load / Aqua sensor	21/31	2//31	21/31	21/31	21/31	21/31
Real-time clock		<u> </u>	<u> </u>	<u> </u>		
Start delay time max hours	24	24	24	24	24	24
Time remaining indicator	•	•	•	•	•	•
Emotion light (interior lighting)						
End of cycle indicator			_	_	-	_
Salt / Rinse aid light indicator	•/•	•/•	•/•	•/•	•/•	•/•
Self cleaning filter system	•	•	•	•	•	•
Flood protection system	Internal	Internal	Internal	Internal	Internal	Internal
Safety features	Control panel lock, door lock	Control panel lock, door lock	Control panel lock, door lock	Control panel lock, door lock	Control panel lock, door lock	Control panel lock, door lock
PROGRAMMES / FUNCTIONS						
, , , , , , , , , , , , , , , , , , ,	Eco 50°C, Auto 45-65°C,	Eco 50 °C, Auto 45-65 °C,	Eco 50°C, Auto 45-65°C,	Eco 50°C, Auto 45-65°C,		
List of programmes	Intensive 70°C, Express 65°C, Silence 50°C, Favourite, Machine Care	Intensive 70 °C, Express 65 °C, Silence 50 °C, Favourite, Machine Care	Intensive 70°C, Express 65°C, Silence 50°C, Favourite, Machine Care	Intensive 70°C, Express 65°C, Silence 50°C, Favourite, Machine Care	Eco 50°C, Auto 45-65°C, Intensive 70°C, Express 65°C Favourite, Machine Care	Eco 50°C, Auto 45-65°C, Intensive 70°C, Express 65°C Favourite, Machine Care
Additional special options	Remote Start, Extra Dry, Half Load, SpeedPerfect+	Remote Start, Extra Dry, Half Load, SpeedPerfect+	Remote Start, Extra Dry, Half Load, SpeedPerfect+	Remote Start, Extra Dry, Half Load, SpeedPerfect+	Remote Start, Extra Dry, Half Load, SpeedPerfect	Remote Start, Extra Dry, Half Load, SpeedPerfect
TECHNICAL SPECIFICATIONS						
Reference programme for measurements	Eco 50°C	Eco 50°C	Eco 50°C	Eco 50°C	Eco 50°C	Eco 50°C
Energy efficiency class ¹	â D	Î D	E	A E	A E	A E
Energy ² / water ³ (kWh / litres) Load capacity (place settings)	82 / 9.5 12	82/9.5 12	94/9.5 13	94/9.5 13	92 / 10.5 12	92 / 10.5 12
Programme duration ⁴ (h:min)	4:55	4:55	3:45	3:45	4:30	4:30
Noise level (dB(A) re 1 pW)	48	48	48	48	4:30	48
Noise efficiency class	C	C	C	C	C	C
Noise level (silence programme) (dB(A) re 1 pW)	46	46	46	46	-	-
Maximum height adjustability feet (cm)	2	2	2	2	2	2
Depth with open door 90 degree (cm)	115.5	115.5	115.5	115.5	115.5	115.5
Length of electrical supply cord (cm)	175	175	175	175	175	175
Length inlet / outlet hose (cm)	150 / 190	165 / 190	165/190	165/190	165 / 190	165 / 190
Height of the product with removable top (cm)	84.5	84.5	84.5	84.5	84.5	84.5
Height of the product without removable top (cm)	81.5	81.5	81.5	81.5	81.5	81.5
Width / Depth of the product (cm)	60/60	60 / 60	60/60	60/60	60 / 60	60/60
Net weight / Gross weight (kg)	57 / 58	49 / 50	51/53	51/52	45 / 47	48 / 49
Water softener ⁵	•	•	•	•	•	•
Maximum accepted water hardness (°DH)						
Maniana tamana tamana farana tamina (90)	50	50	50	50	50	50
Maximum temperature for water intake (°C)	50 60	60	60	60	60	60
Interior cavity Included accessories						

Included accessories	Large item spray head	I			
● = Yes - = No					
¹ On an energy-efficiency class scale from A to G					

Slimline dishwashers







DISHWASHER TYPE		45CM DISHWASHERS	
DESIGN FAMILY	SERIE 4	SERIE 4	SERIE 4
MODEL	SPS4HMW53G	SPS4HKI45G	SPS4HKW45G
Colour	White	Silver inox	White
DESIGN FEATURES			
Drying system	Heat exchanger	Heat exchanger	Heat exchanger
Home Connect WiFi connectivity	•	•	•
Control panel type	Front button control + LED	Front button control + LED	Front button control + LED
Basket description	VarioFlex	VarioFlex	VarioFlex
VarioDrawer / Extra Space 3rd Basket (3rd loading level)	VarioDrawer	-	-
Extra Clean Zone	-		
Glass care technology	•	•	•
Anti-slip protection and stemware support upper basket	·	<u>.</u>	· · · · · · · · · · · · · · · · · · ·
Adjustable upper basket	3-stage Rackmatic™	3-stage Rackmatic™	3-stage Rackmatic™
Number of flip tines in upper / lower basket	2/2	2/2	2/2
Cup shelves upper / lower baskets	1/1	2/2	2/2
Cutlery holder lower basket	4/1	2/1	2/1
Largest loadable dish upper / lower basket (cm)	21/31	27/31	27/31
	21/01	21751	
Load / Aqua sensor	•	<u> </u>	•
Real-time clock	24	24	24
Start delay time max hours			
Time remaining indicator	•	•	•
Emotion light (interior lighting)	·	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·
End of cycle indicator	-	- ,	· .
Salt / Rinse aid light indicator	•/•	•/•	•/•
Self cleaning filter system	•	•	•
Flood protection system	Internal	Internal	Internal
Safety features	Control panel lock, door lock	Control panel lock, door lock	Control panel lock, door lock
PROGRAMMES / FUNCTIONS			
List of programmes	Eco 50°C, Auto 45-65°C, Intensive 70°C, Express 65°C, Silence 50°C, Favourite, Machine Care	Eco 50°C, Auto 45-65°C, Intensive 70°C, Express 65°C, Silence 50°C, Favourite, Machine Care	Eco 50°C, Auto 45-65°C, Intensive 70°C, Express 65°C, Silence 50°C, Favourite, Machine Care
Additional special options	Remote Start, Extra Dry, Intensive Zone SpeedPerfect+	Remote Start, Extra Dry, Intensive Zone SpeedPerfect+	Remote Start, Extra Dry, Intensive Zone SpeedPerfect+
TECHNICAL SPECIFICATIONS			
Reference programme for measurements	Eco 50°C	Eco 50°C	Eco 50°C
Energy efficiency class ¹	A E	A E	ā E
Energy ² / water ³ (kWh / litres)	76/9.5	70/8.5	70/8.5
Load capacity (place settings)	10	9	9
Programme duration ⁴ (h:min)	3:40	3:40	3:40
Noise level (dB(A) re 1 pW)	45	46	46
Noise efficiency class	C	C	C
		43	43
Noise level (silence programme) (dB(A) re 1 pW)	42		
Maximum height adjustability feet (cm)	2	2	2
Maximum height adjustability feet (cm) Depth with open door 90 degree (cm)	2 115.5	115.5	115.5
Maximum height adjustability feet (cm) Depth with open door 90 degree (cm) Length of electrical supply cord (cm)	2 115.5 175	115.5 175	115.5 175
Maximum height adjustability feet (cm) Depth with open door 90 degree (cm) Length of electrical supply cord (cm) Length inlet / outlet hose (cm)	2 115.5 175 165/205	115.5 175 165/205	115.5 175 165/205
Maximum height adjustability feet (cm) Depth with open door 90 degree (cm) Length of electrical supply cord (cm) Length inlet / outlet hose (cm) Height of the product with removable top (cm)	2 115.5 175 165/205 84.5	115.5 175 165/205 84.5	115.5 175 165/205 84.5
Maximum height adjustability feet (cm) Depth with open door 90 degree (cm) Length of electrical supply cord (cm) Length inlet / outlet hose (cm) Height of the product with removable top (cm) Height of the product without removable top (cm)	2 115.5 175 165/205 84.5 81.5	115.5 175 165 / 205 84.5 81.5	115.5 175 165/205 84.5 81.5
Maximum height adjustability feet (cm) Depth with open door 90 degree (cm) Length of electrical supply cord (cm) Length inlet / outlet hose (cm) Height of the product with removable top (cm) Height of the product without removable top (cm) Width / Depth of the product (cm)	2 115.5 175 165/205 84.5 81.5 45/60	115.5 175 165 / 205 84.5 81.5 45 / 60	115.5 175 165/205 84.5 81.5 45/60
Maximum height adjustability feet (cm) Depth with open door 90 degree (cm) Length of electrical supply cord (cm) Length inlet / outlet hose (cm) Height of the product with removable top (cm) Height of the product without removable top (cm) Width / Depth of the product (cm)	2 115.5 175 165/205 84.5 81.5	115.5 175 165 / 205 84.5 81.5	115.5 175 165/205 84.5 81.5
Maximum height adjustability feet (cm) Depth with open door 90 degree (cm) Length of electrical supply cord (cm) Length inlet / outlet hose (cm) Leight of the product with removable top (cm) Leight of the product without removable top (cm) Width / Depth of the product (cm) Net weight / Gross weight (kg)	2 115.5 175 165/205 84.5 81.5 45/60	115.5 175 165 / 205 84.5 81.5 45 / 60	115.5 175 165/205 84.5 81.5 45/60
Maximum height adjustability feet (cm) Depth with open door 90 degree (cm) Length of electrical supply cord (cm) Length inlet / outlet hose (cm) Height of the product with removable top (cm) Height of the product without removable top (cm)	2 115.5 175 165/205 84.5 81.5 45/60 41/42	115.5 175 165/205 84.5 81.5 45/60 42/44	115.5 175 165/205 84.5 81.5 45/60 39/40

Included accessories

Stainless steel

Stainless steel

Stainless steel

Large item spray head

² Energy consumption in kWh/100 operating cycles (using Eco programme)

⁴Duration of Eco programme

We would recommend our dishwashers are connected to the mains water supply where possible. However, they may also be connected to an external water softener as long as the water softener produces softened water of less than 1.1 mmo/litre (7.0°e) and the water softener in the appliance is turned off. Please contact product advice for further information. Water pressure required: 0.5-10 Bar. Flow rate: 10 litres per minute. Inlet valve connected directly to %" screwed joint. Data valid in this table as of April 2021. Subject to modification without prior notice.

 $^{^{\}rm 1}\!$ On an energy-efficiency class scale from A to G

² Energy consumption in kWh/100 operating cycles (using Eco programme) ³Water consumption in litres/operating cycle (using Eco programme)

⁴Duration of Eco programme

We would recommend our dishwashers are connected to the mains water supply where possible. However, they may also be connected to an external water softener as long as the water softener produces softened water of less than 1.1 mmo/litre (7.0°e) and the water softener in the appliance is turned off. Please contact product advice for further information. Water pressure required: 0.5-10 Bar. Flow rate: 10 litres per minute. Inlet valve connected directly to %" screwed joint.

Data valid in this table as of April 2021. Subject to modification without prior notice.

Compact dishwasher



·	COMPACT DISHWASHER		
DESIGN FAMILY	SERIE 4		
MODEL	SKS62E32EU		
Colour	White		
DESIGN FEATURES			
Drying system	Inherent heat		
Home Connect WiFi connectivity	-		
Control panel type	Front dial control + LED		
Basket description	Vario		
VarioDrawer / Extra Space 3rd Basket (3rd loading level)	-		
Extra Clean Zone	-		
Glass care technology	-		
Anti-slip protection and stemware support upper basket	-		
Adjustable upper basket	-		
Number of flip tines in upper / lower basket			
Cup shelves upper / lower baskets	-/2		
Cutlery holder lower basket	-		
Largest loadable dish upper / lower basket (cm)	28		
Load / Aqua sensor	•		
Real-time clock	-		
Start delay time max hours	24		
Time remaining indicator Emotion light (interior lighting)	•		
End of cycle indicator			
Salt / Rinse aid light indicator	•/•		
Self cleaning filter system	•		
Flood protection system	AquaStop 24hr		
Safety features	Door lock		
PROGRAMMES / FUNCTIONS	F 5000 A 1 45 0500 L 1 2 7000		
PROGRAMMES / FUNCTIONS List of programmes	Eco 50°C, Auto 45-65°C, Intensive 70°C, Quick 45°C, Glass 40°C, Pre-Rinse		
List of programmes	Quick 45°C, Glass 40°C, Pre-Rinse		
List of programmes Additional special options TECHNICAL SPECIFICATIONS	Quick 45°C, Glass 40°C, Pre-Rinse Extra Dry, SpeedPerfect		
List of programmes Additional special options TECHNICAL SPECIFICATIONS Reference programme for measurements	Quick 45°C, Glass 40°C, Pre-Rinse Extra Dry, SpeedPerfect Eco 50°C		
List of programmes Additional special options TECHNICAL SPECIFICATIONS	Quick 45°C, Glass 40°C, Pre-Rinse Extra Dry, SpeedPerfect		
List of programmes Additional special options TECHNICAL SPECIFICATIONS Reference programme for measurements Energy efficiency class¹ Energy² / water³ (kWh / litres)	Quick 45°C, Glass 40°C, Pre-Rinse Extra Dry, SpeedPerfect Eco 50°C A F 61/8		
List of programmes Additional special options TECHNICAL SPECIFICATIONS Reference programme for measurements Energy efficiency class ¹ Energy ² / water ³ (kWh / litres) Load capacity (place settings)	Quick 45°C, Glass 40°C, Pre-Rinse Extra Dry, SpeedPerfect Eco 50°C G F 61/8 6		
List of programmes Additional special options TECHNICAL SPECIFICATIONS Reference programme for measurements Energy efficiency class ¹ Energy ² / water ³ (kWh / litres) Load capacity (place settings) Programme duration ⁴ (h:min)	Quick 45°C, Glass 40°C, Pre-Rinse Extra Dry, SpeedPerfect Eco 50°C 61/8 6 3:55		
Additional special options TECHNICAL SPECIFICATIONS Reference programme for measurements Energy efficiency class ¹ Energy ² / water ¹ (kWh / litres) Load capacity (place settings) Programme duration ⁴ (h.min) Noise level (dB(A) re 1 pW)	Quick 45°C, Glass 40°C, Pre-Rinse Extra Dry, SpeedPerfect Eco 50°C 61/8 6 3:55 49		
Additional special options TECHNICAL SPECIFICATIONS Reference programme for measurements Energy "floating to the strength of the strength o	Quick 45°C, Glass 40°C, Pre-Rinse Extra Dry, SpeedPerfect Eco 50°C 61/8 6 3:55		
Additional special options TECHNICAL SPECIFICATIONS Reference programme for measurements Energy efficiency class¹ Energy² / water³ (kWh / litres) Load capacity (place settings) Programme duration⁴ (h:min) Noise level (dB(A) re 1 pW) Noise efficiency class Noise level (silence programme) (dB(A) re 1 pW)	Quick 45°C, Glass 40°C, Pre-Rinse Extra Dry, SpeedPerfect Eco 50°C 61 / 8 6 3:55 49		
List of programmes Additional special options TECHNICAL SPECIFICATIONS Reference programme for measurements Energy efficiency class¹ Energy² / water³ (kWh / litres) Load capacity (place settings) Programme duration² (himin) Noise level (dB(A) re 1 pW) Noise level (silence programme) (dB(A) re 1 pW) Maximum height adjustability feet (cm)	Quick 45°C, Glass 40°C, Pre-Rinse Extra Dry, SpeedPerfect Eco 50°C A F 61/8 6 3:55 49 C -		
List of programmes Additional special options TECHNICAL SPECIFICATIONS Reference programme for measurements Energy efficiency class¹ Energy² / water³ (kWh / litres) Load capacity (place settings) Programme duration⁴ (h.min) Noise leivel (dB(A) re 1 pW) Noise efficiency class Noise leivel (silence programme) (dB(A) re 1 pW) Maximum height adjustability feet (cm) Depth with open door 90 degree (cm)	Quick 45°C, Glass 40°C, Pre-Rinse Extra Dry, SpeedPerfect Eco 50°C 61/8 6 3.:55 49 C 84.5		
Additional special options TECHNICAL SPECIFICATIONS Reference programme for measurements Energy = fficiency class - Energy - water (kWh / litres) Load capacity (place settings) Programme duration + (h:min) Noise level (dB(A) re 1 pW) Noise elevel (silence programme) (dB(A) re 1 pW) Maximum height adjustability feet (cm) Depth with open door 90 degree (cm) Length of electrical supply cord (cm)	Quick 45°C, Glass 40°C, Pre-Rinse Extra Dry, SpeedPerfect Eco 50°C 61/8 6 3:55 49 C 84.5 175		
Additional special options TECHNICAL SPECIFICATIONS Reference programme for measurements Energy "fliciency class" Energy" / water" (kWh / litres) Load capacity (place settings) Programme duration" (h:min) Noise level (dB(A) re 1 pW) Noise efficiency class Noise level (silence programme) (dB(A) re 1 pW) Maximum height adjustability feet (cm) Depth with open door 90 degree (cm) Length of electrical supply cord (cm) Length inlet / outlet hose (cm)	Quick 45°C, Glass 40°C, Pre-Rinse Extra Dry, SpeedPerfect Eco 50°C 6		
Additional special options TECHNICAL SPECIFICATIONS Reference programme for measurements Energy "floating by water" (kWh / litres) Load capacity (place settings) Programme duration" (h:min) Noise level (dB(A) re 1 pW) Noise efficiency class Noise level (silence programme) (dB(A) re 1 pW) Maximum height adjustability feet (cm) Depth with open door 90 degree (cm) Length of electrical supply cord (cm) Length inlet / outlet hose (cm) Height of the product with removable top (cm)	Quick 45°C, Glass 40°C, Pre-Rinse Extra Dry, SpeedPerfect Eco 50°C 6 6 3:55 49 C 84.5 175 165 / 215 45.0		
Additional special options TECHNICAL SPECIFICATIONS Reference programme for measurements Energy efficiency class ¹ Energy ² / water ³ (kWh / litres) Load capacity (place settings) Programme duration ⁴ (h:min) Noise level (dB(A) re 1 pW) Noise efficiency class Noise level (silence programme) (dB(A) re 1 pW) Maximum height adjustability feet (cm) Depth with open door 90 degree (cm) Length of electrical supply cord (cm) Length inlet / outlet hose (cm) Height of the product with removable top (cm) Height of the product without removable top (cm)	Quick 45°C, Glass 40°C, Pre-Rinse Extra Dry, SpeedPerfect Eco 50°C 6		
Additional special options TECHNICAL SPECIFICATIONS Reference programme for measurements Energy efficiency class ¹ Energy ² / water ³ (kWh / litres) Load capacity (place settings) Programme duration ⁴ (h:min) Noise level (dB(A) re 1 pW) Noise efficiency class Noise level (silence programme) (dB(A) re 1 pW) Maximum height adjustability feet (cm) Depth with open door 90 degree (cm) Length of electrical supply cord (cm) Length of the product with removable top (cm) Height of the product with removable top (cm) Height of the product without removable top (cm) Width / Depth of the product (cm)	Quick 45°C, Glass 40°C, Pre-Rinse Extra Dry, SpeedPerfect Eco 50°C 61/8 6 3.55 49 C 84.5 175 165/215 45.0 Top not removable 55/50		
Additional special options TECHNICAL SPECIFICATIONS Reference programme for measurements Energy efficiency class ¹ Energy ² / water ³ (kWh / litres) Load capacity (place settings) Programme duration ⁴ (h:min) Noise level (dB(A) re 1 pW) Noise efficiency class Noise level (silence programme) (dB(A) re 1 pW) Maximum height adjustability feet (cm) Depth with open door 90 degree (cm) Length of electrical supply cord (cm) Length inlet / outlet hose (cm) Height of the product with removable top (cm) Height of the product without removable top (cm)	Quick 45°C, Glass 40°C, Pre-Rinse Extra Dry, SpeedPerfect Eco 50°C 6		
Additional special options TECHNICAL SPECIFICATIONS Reference programme for measurements Energy efficiency class¹ Energy² / water³ (kWh / litres) Load capacity (place settings) Programme duration⁴ (h:min) Noise level (dB(A) re 1 pW) Noise level (silence programme) (dB(A) re 1 pW) Maximum height adjustability feet (cm) Depth with open door 90 degree (cm) Length of electrical supply cord (cm) Length inlet / outlet hose (cm) Height of the product with out removable top (cm) Width / Depth of the product (cm) Net weight / Gross weight (kg)	Quick 45°C, Glass 40°C, Pre-Rinse Extra Dry, SpeedPerfect Eco 50°C 61/8 6 3.55 49 C 84.5 175 165/215 45.0 Top not removable 55/50 22/24		
Additional special options TECHNICAL SPECIFICATIONS Reference programme for measurements Energy efficiency class¹ Energy² / water¹ (kWh / litres) Load capacity (place settings) Programme duration⁴ (h:min) Noise level (dB(A) re 1 pW) Noise efficiency class Noise level (silence programme) (dB(A) re 1 pW) Maximum height adjustability feet (cm) Depth with open door 90 degree (cm) Length of electrical supply cord (cm) Length inlet / outlet hose (cm) Height of the product without removable top (cm) Width / Depth of the product (cm) Net weight / Gross weight (kg) Water softener⁵	Quick 45°C, Glass 40°C, Pre-Rinse Extra Dry, SpeedPerfect Eco 50°C 61/8 6 3.:55 49 C 84.5 175 165/215 45.0 Top not removable 55/50 22/24		
Additional special options TECHNICAL SPECIFICATIONS Reference programme for measurements Energy "fliciency class" Energy" / water" (kWh / litres) Load capacity (place settings) Programme duration" (h:min) Noise level (dB(A) re 1 pW) Noise efficiency class Noise level (silence programme) (dB(A) re 1 pW) Maximum height adjustability feet (cm) Depth with open door 90 degree (cm) Length of electrical supply cord (cm) Length inlet / outlet hose (cm) Height of the product with removable top (cm) Width / Depth of the product (cm) Net weight / Gross weight (kg) Water softener* Maximum accepted water hardness ("DH)	Quick 45°C, Glass 40°C, Pre-Rinse Extra Dry, SpeedPerfect Eco 50°C 6		
Additional special options TECHNICAL SPECIFICATIONS Reference programme for measurements Energy efficiency class¹ Energy² / water² (kWh / litres) Load capacity (place settings) Programme duration⁴ (h:min) Noise level (dB(A) re 1 pW) Noise efficiency class Noise level (silence programme) (dB(A) re 1 pW) Maximum height adjustability feet (cm) Depth with open door 90 degree (cm) Length of electrical supply cord (cm) Length inlet / outlet hose (cm) Height of the product with removable top (cm) Width / Depth of the product (cm) Net weight / Gross weight (kg) Water softener² Maximum accepted water hardness ("DH) Maximum temperature for water intake ("C)	Quick 45°C, Glass 40°C, Pre-Rinse Extra Dry, SpeedPerfect Eco 50°C 6 F 61 / 8 6 3.55 49 C		

^{• =} Yes - = NO

On an energy-efficiency class scale from A to G

Data valid in this table as of April 2021. Subject to modification without prior notice. Explore more at bosch-home.co.uk / bosch-home.ie

Introducing the Bosch refrigeration range.



NoFrost

Model shown: KGN39HIEP

Save more, waste less. Our range of freestanding fridge freezers are packed with innovative technology to keep your food fresh for longer, so you'll throw out less and save on your weekly shopping bill.

To help you choose the right appliance, we have divided them into the four ranges below.

Serie 8

Cutting-edge design meets advanced technologies. All models in our **Serie 8** range are packed with features that save valuable time, effort and money – perfect for modern, busy households.

Serie 6

Our Serie 6 range of appliances combines efficient performance with convenient storage and superior food preservation.

Serie 4

All models in our **Serie 4** range combine practical features with Bosch build quality.

Serie 2

Built for optimal food storage, the **Serie 2** refrigeration range is just as practical as it is value for money.

² Energy consumption in kWh/100 operating cycles (using Eco programme)

³Water consumption in litres/operating cycle (using Eco programme)


⁴Duration of Eco programme

We would recommend our dishwashers are connected to the mains water supply where possible. However, they may also be connected to an external water softener as long as the water softener produces softened water of less than 1.1 mmo/litre (7.0°e) and the water softener in the appliance is turned off. Please contact product advice for further information. Water pressure required: 0.5-10 Bar. Flow rate: 10 litres per minute. Inlet valve connected directly to %" screwed joint.

Selecting the right fridge freezer for you.

Height, width and fridge freezer split.

Our fridge freezer options are tailored to suit every family household's needs, so you can choose your appliance to ensure this. For those who shop little and often, try a smaller capacity fridge and freezer which doesn't impact on space. If you have a busy household and do a full weekly shop, a spacious 70/30 fridge freezer would be ideal.



Refrigeration functions explained.

(Check model for available functions)



Home Connect

Thanks to Home Connect, you can now check the contents of your fridge at any given time and place. Interior door cameras take pictures every time the door is closed, and conveniently send them to your mobile device.



NoFrost

Never defrost again, thanks to perfect protection from ice formation - that saves time and effort.



LowFrost

Defrost less often thanks to lower ice formation – saves work and energy.



An extra-deep frozen food drawer for the practical stacking of frozen foods, containers or large frozen items like gateaux or pizzas



Transparent drawer with wave bottom, ideal for the storage of fruits and vegetables.



Safety Glass

Strong glass shelves ensure heavier items can be stored



Activating the SuperCooling function before you go shopping lowers the temperature for a short period, so your fresh shopping is kept at the right temperature.



SuperFreeze

The SuperFreeze function temporarily lowers the temperature in the freezer for when you have new shopping to load in, protecting both new and existing food.



MultiAirflow

The fan-assisted MultiAirflow System causes gentle, even currents of cold air to emerge at all levels of the chilling and freezing area. Temperature fluctuations are minimised and cooling times reduced.



The shatterproof, frameless glass shelves are particularly easy to use, thanks to the smooth pull-out mechanism. And they also give you a clear view of your food at any time.





Finger Print Free

Your appliance will stay finger print free and looking clean and fresh



XXL Fridge Freezers. Keep more, waste less.





EasyAccess Shelf.

The shatterproof, frameless glass shelves are particularly easy to use, thanks to the smooth pull-out mechanism. And they also give you a clear view of your food at any time.

Easy to Clean Magnetic Door Seals

The magnetic door seals on all of our refrigeration ranges are **removable**, making them easy to clean and/or replace when necessary.




Model shown: KGN39VWEAG



Making life easy through innovative technologies

₿ BOSCH



♦ VitaFresh

With VitaFresh, you'll be able to store your fruit and vegetables at exactly 0°C to lock in the freshness. Also, with an adjustable humidity setting on the drawer, you'll be keeping your fresh food in a perfectly controlled environment.

This combination of temperature and humidity helps you to protect all the aromas, essential nutrients and valuable vitamins in your fresh food. Hence, it's easier than ever to maintain a healthy diet with fresh fruit and vegetables every day.

You'll also find two drawers, one for fish and one for meat, with a temperature regulating slider which lets you lower the temperature up to 4°C lower than the rest of the fridge. VitaFresh plus models have the added benefit of a convenient push button for humidity control.

Controlling your appliance.

Across the range of cooling appliances, there are different ways you can control the temperature inside your fridge and freezer. Below are the different variations:



Exterior LCD, digital control (touch control)



Exterior touch control (digital control)



Interior LED button control



Interior LED button (freezer only)

Fridge freezers

Serie 6

KGB86AIFP







TYPE	FRIDGE FREEZER		
DESIGN FAMILY	SERIE 6		
MODEL	KGB86AIFP		
Colour	Stainless steel look		
DESIGN FEATURES			
Fridge / Freezer split	70/30		
rost-free system	NoFrost		
Colour of side panels	Chrome inox metallic		
Door handle type	Horizontal & Vertical bar		
l'emperature display	Exterior / Digital LCD		
Reversible door, hinged on right	•		
Latest Condenser Technology	•		
Home Connect / Built in cameras	•/-		
FOOD FRESHNESS SYSTEM			
Food preservation container	2 x VitaFresh 0°C drawers, 2 x VitaFresh vegetable drawers		
KEY FEATURES – FRIDGE SECTION			
LED light	•		
SuperCool function	•		
Bottle rack	•		
Number of glass safety shelves	3		
Number of adjustable shelves	2		
Number of door bins large / small	1/5		
Dairy compartment	2		
Number of egg racks	3		
KEY FEATURES - FREEZER SECTION			
Number of freezer drawers including BigBox / EasyAccess	Pull out drawers		
SuperFreeze function	• •		
Number of ice packs / ice cube trays	2/2		
	2/2		
FUNCTIONS			
Door open warning signal / malfunction	•		
Holiday / Sabbath mode	•/•		
PERFORMANCE AND CONSUMPTION			
Energy efficiency class	A F		
Annual energy consumption ¹ (kWh)	384		
Total unit net capacity (litres)	631		
Refrigerator net capacity including 0°C drawers (litres)	479		
Freezer net capacity (litres)	152		
Climate Class ²	SN-T		
Noise level (dB(A) re 1 pW)	42		
Noise Emission Class	D		
Dimensions of the product (H x W x D) (cm)	186 x 86 x 81		
EAN code	4242005159956		
	12 120023000		

• = yes -= no

¹Actual energy consumption will depend on how the appliance is used and where it is located.

²Climate zone SN = designed to operate in ambient temperatures of +10°C to 32°C. Climate zone T = designed to operate in ambient temperatures of +18°C to 43°C.



1175	PRIDGE PREEZER	FRIDGE FREEZER	PRIDGE PREEZER	PRIDGE PREEZER	FRIDGE FREEZER
DESIGN FAMILY	SERIE 6	SERIE 4	SERIE 4	SERIE 4	SERIE 4
MODEL	KGN86AIDP	KGN864IFA	KGN56XLEA	KGN49XLEA	KGN49XWEA
Colour	Stainless steel look	Stainless steel look	Stainless steel look	Stainless steel look	White
DESIGN FEATURES					
Fridge / Freezer split	70/30	70/30	70/30	70/30	70/30
Frost-free system	NoFrost	NoFrost	NoFrost	NoFrost	NoFrost
Colour of side panels	Chrome inox metallic	Chrome inox metallic	Chrome inox metallic	Chrome inox metallic	White
Door handle type	Vertical	Integrated	Integrated Vertical	Integrated Vertical	Integrated Vertical
Temperature display	Exterior / Digital LCD	Interior / Digital LCD	Exterior / Digital LED	Exterior / Digital LED	Exterior / Digital LED
Reversible door, hinged on right	•	•	•	•	•
Latest Condenser Technology	•	•	•	•	•
Home Connect / Built in cameras	•/-	-/-	-/-	-/-	-/-
FOOD FRESHNESS SYSTEM					
Food preservation container	2 x VitaFresh 0°C drawers, 2 x VitaFresh vegetable drawers	2 x VitaFresh 0°C drawers, 2 x VitaFresh vegetable drawers	2 x VitaFresh 0°C drawers, 1 x VitaFresh vegetable drawer	2 x VitaFresh 0°C drawers, 1 x VitaFresh vegetable drawer	2 x VitaFresh 0°C drawers, 1 x VitaFresh vegetable drawer
KEY FEATURES - FRIDGE SECTION					
LED light	•	•	•	•	•
SuperCool function	•	•	•	•	•
Bottle rack	•	•	•	-	•
Number of glass safety shelves	3	3	4	5	5
Number of adjustable shelves	2	2	3	4	4
Number of door bins large / small	1/5	1/4	1/3	1/3	1/3
Dairy compartment	2	-	-	-	-
Number of egg racks	3	3	3	3	3
KEY FEATURES - FREEZER SECTION					
Number of freezer drawers including BigBox / EasyAccess	2	2	2	3	3
SuperFreeze function	•	•	•	•	•
Number of ice packs / ice cube trays	2/2	2/2	2/1	-/1	-/1
FUNCTIONS					
Door open warning signal / malfunction	•	•	•	•	•
Holiday / Sabbath mode	•/•	•/-	-/-	-/-	-/-
PERFORMANCE AND CONSUMPTION					
Energy efficiency class	A D	A F	A B	A E	A E
Annual energy consumption ¹ (kWh)	546	384	262	259	259
Total unit net capacity (litres)	631	631	508	438	438
Refrigerator net capacity including 0°C drawers (litres)	479	479	400	330	330
Freezer net capacity (litres)	152	152	108	108	108
Climate Class ²	SN-T	SN-T	SN-T	SN-T	SN-T
Noise level (dB(A) re 1 pW)	40	42	42	40	40
Noise Emission Class	С	D	D	С	С
Dimensions of the product (H x W x D) (cm)	186 x 86 x 81	186 x 86 x 81	193 x 70 x 80	203 x 70 x 67	203 x 70 x 67
EAN code	4242005159956	4242005159956	4242005159956	4242005162963	4242005209934

For full specification details, please log onto our website and download a full specification sheet.

Fridge freezers



ТҮРЕ	FRIDGE FREEZER	FRIDGE FREEZER	FRIDGE FREEZER	FRIDGE FREEZER	FRIDGE FREEZER	FRIDGE FREEZER
DESIGN FAMILY	SERIE 6	SERIE 4	SERIE 4	SERIE 4	SERIE 4	SERIE 2
MODEL	KGN39HIEP	KGN39VLEAG	KGN39VWEAG	KGN36XLER	KGN36VLEAG	KGN34NLEAG
Colour	Stainless steel easy clean	Stainless steel look	White	Stainless steel look	Stainless steel look	Stainless steel look
DESIGN FEATURES						
Fridge / Freezer split	70/30	70 / 30	70/30	60 / 40	60 / 40	50/50
Frost-free system	NoFrost	NoFrost	NoFrost	NoFrost	NoFrost	NoFrost
Colour of side panels	Chrome inox metallic	Chrome inox metallic	White	Chrome inox metallic	Chrome inox metallic	Chrome inox metallic
Door handle type	Vertical Bar	Integrated Vertical	Integrated Vertical	Vertical Bar	Integrated Vertical	Integrated Horizontal
Temperature display	Exterior / Digital LCD	Interior / Electronic LED	Interior / Electronic LED	Exterior / Digital LED	Interior / Electronic LED	Interior / Electronic LED
Reversible door, hinged on right	-	•	•	•	•	•
Latest Condenser Technology	•	•	•	•	•	•
Home Connect / Built in cameras	•/•	-/-	-/-	-/-	-/-	-/-
FOOD FRESHNESS SYSTEM						
Food preservation container	1 x VitaFresh Plus 0°C drawer, 1 x VitaFresh Plus vegetable drawer	2 x VitaFresh 0°C drawers, 1 x VitaFresh vegetable drawer	2 x VitaFresh 0°C drawers, 1 x VitaFresh vegetable drawer	1 x VitaFresh 0°C drawers, 1 x VitaFresh vegetable drawer	2 x VitaFresh 0°C drawers, 1 x VitaFresh vegetable drawer	1 x MultiBox vegetable drawer
KEY FEATURES – FRIDGE SECTION						
LED light	•	•	•	•	•	•
SuperCool function	•	•	•	•	•	
Bottle rack	•	•		•	•	
Number of glass safety shelves	5	5	5	4	4	4
Number of adjustable shelves	3	3	3	2	2	2
Number of door bins large / small	1/2	1/3	1/3	1/2	1/2	1/2
Dairy compartment	•	-	-	-	-	
Number of egg racks	3	3	3	3	3	3
KEY FEATURES - FREEZER SECTION						
Number of freezer drawers including BigBox / EasyAccess	3	3	3	3	3	3
SuperFreeze function	•	•	•	•	•	•
Number of ice packs / ice cube trays	2/1	-/1	-/1	-/1	-/1	-/1
FUNCTIONS	-,-	,-	7-	,-	,-	,-
Door open warning signal / malfunction		•	•			
Holiday / Sabbath mode	•/•	-/-	-/-	-/-	-/-	-/-
PERFORMANCE AND CONSUMPTION		·	·	·	·	
Energy efficiency class	A E	E	A E	Å E	A E	A E
	238	238	238	238	238	244
Annual energy consumption ¹ (kWh) Total unit net capacity (litres)	238 368	238 368	238 368	238 326	238 326	300
Refrigerator net capacity (indes)	279	279	279	237	237	193
	89	89	89	89	29	193
Freezer net capacity (litres) Climate Class ²	SN-T	SN-T	SN-T	SN-T	SN-T	SN-T
Noise level (dB(A) re 1 pW)	39	39	5N-1 39	5N-I 39	39	5N-1 42
Noise level (dB(A) re 1 pw) Noise Emission Class	39 C	39 C	. C	39 C	. C	42 D
Dimensions of the product (H x W x D) (cm)	204 x 60 x 66	203 x 60 x 66	203 x 60 x 66	186 x 60 x 66	186 x 60 x 66	186×60×66
Diffiensions of the product (H X W X D) (cm)	204 X 60 X 66	203 X 60 X 66	203 X 60 X 66	180 X 00 X 00	190 X PO X PP	180 X 00 X 00

EAN code

4242005105489

4242005208487

4242005105533

4242005183326

4242005232529

 $5\ year\ warranty \cdot Promotion\ dates\ 01.04.21-31.03.22.\ T\&C's\ apply.\ Online\ registration\ required.\ Selected\ models\ only.$ For full specification details, please log onto our website and download a full specification sheet.

4242005171729



ТҮРЕ	FRIDGE FREEZER	FRIDGE FREEZER	FRIDGE FREEZER	FRIDGE FREEZER	FRIDGE FREEZER	FRIDGE FREEZER
DESIGN FAMILY	SERIE 2	SERIE 2	SERIE 2	SERIE 2	SERIE 2	SERIE 2
MODEL	KGN34NWEAG	KGN36NWEAG	KGN33NLEAG	KGN33NWEAG	KGN27NLFAG	KGN27NWFAG
Colour	White	White	Stainless steel look	White	Stainless steel look	White
DESIGN FEATURES						
Fridge / Freezer split	50 / 50	60 / 40	50/50	50/50	50/50	50 / 50
Frost-free system	NoFrost	NoFrost	NoFrost	NoFrost	NoFrost	NoFrost
Colour of side panels	White	White	Chrome inox metallic	White	Chrome inox metallic	White
Door handle type	Integrated Horizontal	Integrated Horizontal	Integrated Horizontal	Integrated Horizontal	Integrated Vertical	Integrated Vertical
Temperature display	Interior / Electronic LED	-	-			
Reversible door, hinged on right	•	•	•	•	-	-
Latest Condenser Technology	•	•	•	•	•	•
Home Connect / Built in cameras	-/-	-/-	-/-	-/-	-/-	-/-
FOOD FRESHNESS SYSTEM						
Food preservation container	1 x MultiBox vegetable drawer	1 x vegetable drawer	1 x vegetable drawer			
KEY FEATURES – FRIDGE SECTION						
LED light	•	•	•	•	•	•
SuperCool function			-	-		
Bottle rack		-	-	-		-
Number of glass safety shelves	4	4	3	3	2	2
Number of adjustable shelves	2	3	2	2	-	-
lumber of door bins large / small	1/2	1/3	1/2	1/2	1/2	1/2
Dairy compartment	-		-	-	-	-
lumber of egg racks	3	3	3	3	3	3
KEY FEATURES – FREEZER SECTION						
Number of freezer drawers including BigBox / EasyAccess	3	3	3	3	4	4
SuperFreeze function	•	•	•	•		-
Number of ice packs / ice cube trays	-/1	-/-	-/-	-/-	-/-	-/-
FUNCTIONS						
Ooor open warning signal / malfunction	•	•	•	•		-
Holiday / Sabbath mode	-/-	-/-	-/-	-/-	-/-	-/-
PERFORMANCE AND CONSUMPTION						
energy efficiency class	A E	A E	A-G	A E	ā F	↑ F

EAN code

Climate Class²

Annual energy consumption1 (kWh) Total unit net capacity (litres)

Freezer net capacity (litres)

Noise level (dB(A) re 1 pW)

Noise Emission Class

Refrigerator net capacity including 0°C drawers (litres)

Dimensions of the product (H x W x D) (cm)

237

282

193

89

SN-T

42

176 x 60 x 66

4242005196500

237

282

193

89

SN-T

42

176 x 60 x 66

4242005196524

244

300

193

107

SN-T

42

186 x 60 x 66

4242005196685

For full specification details, please log onto our website and download a full specification sheet.

244

300

107

105

SN-T

42

186 x 60 x 66

4242005196722

171

SN-T

41

183 x 55 x 56

4242005159956

287

256

171

41

183 x 55 x 56

4242005159956

¹Actual energy consumption will depend on how the appliance is used and where it is located. ² Climate zone SN = designed to operate in ambient temperatures of +10°C to 32°C. Climate zone T = designed to operate in ambient temperatures of +18°C to 43°C.

Fridge freezers



TYPE	FRIDGE FREEZER	FRIDGE FREEZER	FRIDGE FREEZER	FRIDGE FREEZER	FRIDGE FREEZER
DESIGN FAMILY	SERIE 4	SERIE 4	SERIE 4	SERIE 4	SERIE 4
MODEL	KGE49AICAG	KGE49AWCAG	KGV39VLEAG	KGV39VWEAG	KGE36AWCA
Colour	Stainless steel easy clean	White	Stainless steel look	White	White
DESIGN FEATURES					
Fridge / Freezer split	70/30	70/30	70/30	70/30	60/40
Frost-free system	LowFrost	LowFrost	LowFrost	LowFrost	LowFrost
Colour of side panels	Chrome inox metallic	White	Chrome inox metallic	White	White
Door handle type	Integrated Vertical	Integrated Vertical	Integrated Vertical	Integrated Vertical	Integrated Vertical
Temperature display	Interior / Digital LED	Interior / Digital LED	Interior / Electronic LED	Interior / Electronic LED	Interior / Digital LED
Reversible door, hinged on right	•	•	•	•	•
Latest Condenser Technology	-	-	-	-	-
Home Connect / Built in cameras	-/-	-/-	-/-	-/-	-/-
FOOD FRESHNESS SYSTEM					
Food preservation container	1 x VitaFresh 0°C drawer, 1 x VitaFresh vegetable drawer	1 x VitaFresh 0°C drawer, 1 x VitaFresh vegetable drawer	1 x VitaFresh vegetable drawer	1 x VitaFresh vegetable drawer	1 x VitaFresh 0°C drawer, 1 x VitaFresh vegetable draw
KEY FEATURES – FRIDGE SECTION					
LED light		•	•	•	
SuperCool function		•		-	
Bottle rack		<u>-</u>	_	•	
Number of glass safety shelves	5	5	5	5	4
Number of adjustable shelves	2	2	2	3	2
Number of door bins large / small	1/3	1/3	1/3	1/3	1/2
Dairy compartment	-	-	-	-	1/2
Number of egg racks	3	3	3	3	3
KEY FEATURES – FREEZER SECTION				-	
Number of freezer drawers including BigBox / EasyAccess	3	3	3	3	3
SuperFreeze function	•	•		•	•
Number of ice packs / ice cube trays	2/-	2/-	-/-	-/-	2/-
FUNCTIONS			,		
Door open warning signal / malfunction	•	•			•
Holiday / Sabbath mode	./-	•/-	-/-	-/-	•/-
PERFORMANCE AND CONSUMPTION	·			·	
Energy efficiency class	A C	₹ €	A E	E	â C
	163	163	238	238	149
Annual energy consumption ¹ (kWh)	419	419	238 368	238 368	308
Total unit net capacity (litres)	419 302	419 302	368 279	368 279	308 214
Refrigerator net capacity including 0°C drawers (litres)	302 28	302 28	219	219	0
Refrigerator 0°C net capacity (litres)			-	00	
Freezer net capacity (litres)	117	117	89 CN.T.	89	94
Climate Class ²	SN-T	SN-T	SN-T 39	SN-T	SN-T
Noise level (dB(A) re 1 pW)	38	38		39	38
Noise Emission Class	C	C	C	C	C
Dimensions of the product (H x W x D) (cm)	201 x 70 x 65	201 x 70 x 65	201 x 60 x 65	201 x 60 x 65	186 x 60 x 65
EAN code	4242005219056	4242005215935	4242005197620	4242005197712	4242005196302



^{&#}x27;Actual energy consumption will depend on how the appliance is used and where it is located. 2 Climate zone SN = designed to operate in ambient temperatures of +10°C to 32°C. Climate zone T = designed to operate in ambient temperatures of +18°C to 43°C.

For full specification details, please log onto our website and download a full specification sheet.



TYPE	FRIDGE FREEZER	FRIDGE FREEZER	FRIDGE FREEZER	FRIDGE FREEZER
DESIGN FAMILY	SERIE 4	SERIE 4	SERIE 4	SERIE 4
MODEL	KGV36VLEAG	KGV36VWEAG	KGV33VLEAG	KGV336WEAG
Colour	Stainless steel look	White	Stainless steel look	White
DESIGN FEATURES				
Fridge / Freezer split	60 / 40	60/40	50/50	50 / 50
Frost-free system	LowFrost	LowFrost	LowFrost	LowFrost
Colour of side panels	Chrome inox metallic	Chrome inox metallic	Chrome inox metallic	White
Door handle type	Integrated Vertical	Integrated Vertical	Integrated Vertical	Integrated Vertical
Temperature display	Interior / Electronic LED			
Reversible door, hinged on right	•	•	•	•
Latest Condenser Technology	-	-	-	-
Home Connect / Built in cameras	-/-	-/-	-/-	-/-
FOOD FRESHNESS SYSTEM				
Food preservation container	1 x VitaFresh vegetable drawer			
KEY FEATURES – FRIDGE SECTION				
LED light	•	•	•	•
SuperCool function	-	-	-	-
Bottle rack	•	•	•	•
Number of glass safety shelves	4	4	4	4
Number of adjustable shelves	2	2		2
Number of door bins large / small	1/2	1/2	1/2	1/1
Dairy compartment		-	-	•
Number of egg racks	3	3	3	3
KEY FEATURES - FREEZER SECTION				
Number of freezer drawers including BigBox / EasyAccess	3	3	3	3
SuperFreeze function	•	•	•	•
Number of ice packs / ice cube trays	-/-	-/-	-/-	-/-
FUNCTIONS				
Door open warning signal / malfunction				
Holiday / Sabbath mode	-/-	-/-	-/-	-/-
PERFORMANCE AND CONSUMPTION				
Energy efficiency class	A E	A E	A E	A E
Annual energy consumption ¹ (kWh)	238	233	228	228
Total unit net capacity (litres)	326	308	289	289
Refrigerator net capacity including 0°C drawers (litres)	237	214	195	195
Refrigerator 0°C net capacity (litres)	-	-		-
Freezer net capacity (litres)	89	94	94	94
Climate Class ²	SN-T	SN-T	SN-T	SN-T
Noise level (dB(A) re 1 pW)	39	39	39	39
Noise Emission Class	С	С	С	С
Dimensions of the product (H x W x D) (cm)	186 x 60 x 65	186 x 60 x 65	176 x 60 x 65	176 x 60 x 65
EAN code	4242005197408	4242005197408	4242005237159	4242005197330

 $^{^1}$ Actual energy consumption will depend on how the appliance is used and where it is located. 2 Climate zone SN = designed to operate in ambient temperatures of +10°C to 32°C. Climate zone T = designed to operate in ambient temperatures of +18°C to 43°C. For full specification details, please log onto our website and download a full specification sheet.

Selecting the right fridge or freezer for you

Joining strips

If you choose to have a freestanding single door fridge and single door freezer installed into your kitchen, you may want to consider using joining strips to go between the two appliances.

This allows a more seamless finish to your kitchen, as the gap between the appliances will be covered.


We have two available options, including stainless steel or white. Simply select the joining strip to suit your appliance colour.





Side by side

Single door fridges and freezers are designed to sit side-by-side to give you the double door effect. With hinges that can be fitted to either side of the appliances, you can choose which side you would like your fridge and freezer. Of course, if you want your appliances separate, this is possible as well. Choose from a variety of heights to suit your kitchen.



Fridges



ТУРЕ	FRIDGE	FRIDGE	FRIDGE	FRIDGE
DESIGN FAMILY	SERIE 6	SERIE 4	SERIE 4	SERIE 2
MODEL	KSV36AWEPG	KSV36VLEP	KSV36VWEPG	KSV36NWEPG
Colour	White	Stainless steel look	White	White
DESIGN FEATURES				
Colour of side panels	White	Chrome inox metallic	White	White
Door handle type	Vertical Bar	Vertical Bar	Vertical Bar	Vertical Bar
Temperature display	Interior / Digital LED	Interior / Electronic LED	Interior / Electronic LED	Interior / Electronic LED
Reversible door, hinged on left	•	•	•	•
Latest Condenser Technology	•	•	•	•
Home Connect / Built in cameras	-/-	-1-	-/-	-/-
FOOD FRESHNESS SYSTEM				
Food preservation container	1 x VitaFresh Plus, 1 x MultiBox vegetable drawer	1 x VitaFresh vegetable drawer	1 x VitaFresh vegetable drawer	1 x MultiBox vegetable drawer
KEY FEATURES - FRIDGE SECTION				
LED light	•	•	•	•
SuperCool function	•	•	•	•
Bottle rack	•	•	•	-
Number of glass safety shelves	7	7	7	6
Number of adjustable shelves	4	5	5	5
Number of door bins large / small	2/2	2/2	2/2	2/3
flex Shelf		-	-	-
Dairy compartment	•	•	•	-
Number of egg racks	3	3	3	3
FUNCTIONS				
Door open warning signal / malfunction	•	-	-	
Holiday / Sabbath mode	-/-	-/-	-/-	-/-
PERFORMANCE AND CONSUMPTION				
Energy efficiency class	â E		<u> </u>	A E
Annual energy consumption ¹ (kWh)	116	116	116	116
Refrigerator net capacity including 0°C drawers (litres)	346	346	346	346
Refrigerator 0°C net capacity (litres)	-	-	-	-
Climate Class ²	SN-T	SN-T	SN-T	SN-T
Noise level (dB(A) re 1 pW)	39	39	39	39
Noise Emission Class	C	C	C	C
Dimensions of the product (H x W x D) (cm)	186 x 60 x 65	186 x 60 x 65	186 x 60 x 65	186 x 60 x 65
EAN code	4242005216130	4242005202195	4242005208241	4242005202010
Matching Freezer	GSN36AWFPG	GSN36VLFP	GSN36VWFPG	GSN36VWFPG
mutoring i roccol	USNOVATITU	UJIVJUVLI I	uonouvii i u	USINSOV WIT U

For full specification details, please log onto our website and download a full specification sheet.

Fridges



ТҮРЕ	FRIDGE	FRIDGE	FRIDGE	FRIDGE
DESIGN FAMILY	SERIE 4	SERIE 4	SERIE 4	SERIE 2
MODEL	KSV33VLEP	KSV33VWEPG	KSV29VLEP	KSV29NWEPG
Colour	Stainless steel look	White	Stainless steel look	White
DESIGN FEATURES				
Colour of side panels	Chrome inox metallic	White	Chrome inox metallic	White
Door handle type	Vertical Bar	Vertical Bar	Vertical Bar	Vertical Bar
Temperature display	Interior / Electronic LED	Interior / Electronic LED	Interior / Electronic LED	Interior / Electronic LED
Reversible door, hinged on left	•	•	•	•
Latest Condenser Technology	•	•	•	•
Home Connect / Built in cameras	-/-	-/-	-/-	-/-
FOOD FRESHNESS SYSTEM				
Food preservation container	1 x VitaFresh vegetable drawer	1 x VitaFresh vegetable drawer	1 x VitaFresh vegetable drawer	1 x MultiBox vegetable drawer
KEY FEATURES – FRIDGE SECTION				
LED light	•	•	•	•
SuperCool function	•	•	•	•
Bottle rack	•	•	•	-
Number of glass safety shelves	7	7	6	5
Number of adjustable shelves	5	5	4	4
Number of door bins large / small	2/2	2/2	1/2	1/3
flex Shelf		-	-	-
Dairy compartment	•	•	•	-
Number of egg racks	3	3	3	3
FUNCTIONS				
Door open warning signal / malfunction	-	-		
Holiday / Sabbath mode	-/-	-/-	-/-	-/-
PERFORMANCE AND CONSUMPTION				
Energy efficiency class	A E	A E	A-G	A-G
Annual energy consumption ¹ (kWh)	113	113	109	109
Refrigerator net capacity including 0°C drawers (litres)	324	324	290	290
Refrigerator 0°C net capacity (litres)	-	-	-	-
Climate Class ²	SN-T	SN-T	SN-T	SN-T
Noise level (dB(A) re 1 pW)	39	39	39	39
Noise Emission Class	С	С	С	С
Dimensions of the product (H x W x D) (cm)	176 x 60 x 65	176 x 60 x 65	161 x 60 x 65	161 x 60 x 65
EAN code	4242005205707	4242005205721	4242005205677	4242005205080
Matching Freezer	GSN33VLEP	GSN33VWEPG	GSN29VLEP	GSN29VWEVG

Freezers



ТҮРЕ	FREEZER	FREEZER	FREEZER	FREEZER
DESIGN FAMILY	SERIE 6	SERIE 6	SERIE 4	SERIE 4
MODEL	GSN36BWFV	GSN36AWFPG	GSN36VLFP	GSN36VWFPG
Colour	White	White	Stainless steel look	White
DESIGN FEATURES				
Frost-free system	noFrost	noFrost	noFrost	noFrost
Colour of side panels	White	White	Chrome inox metallic	White
Door handle type	Vertical Bar	Vertical Bar	Vertical Bar	Vertical Bar
Temperature display	Exterior / Digital LED	Interior / Digital LED	Interior / Electronic LED	Interior / Electronic LED
Reversible door, hinged on right	•	•	•	•
Latest Condenser Technology	•		•	•
Home Connect / Built in cameras	-/-	-1-	-/-	-/-
Home Connect / Built in Cameras	-/-	-/-	-1-	-/-
FOOD FRESHNESS SYSTEM				
MultiAirflow system	•	•	•	•
KEY FEATURES - FREEZER SECTION				
LED light	•	•	•	•
Number of freezer compartments	7	7	7	7
Number of freezer drawers including bigBox	5	4	4	5
Number of freezer flaps / easyAccess shelves	2/-	-/3	-/3	2/-
Number of glass safety shelves	6	6	6	6
SuperFreeze function		•	•	•
Twist Ice Box			_	-
Number of ice packs / ice cube trays	2/-	2/-	2/1	2/1
FUNCTIONS	-1	-1	2,1	-1-
Door open warning signal / malfunction	•	•	•	•
	-/-	-/-	-/-	-/-
Holiday / Sabbath mode	-/-	-/-	-/-	-/-
PERFORMANCE AND CONSUMPTION				
Energy efficiency class	A F	â F	A F	A F
Annual energy consumption ¹ (kWh)	294	294	294	294
Freezer net capacity (litres)	242	242	242	242
Climate Class ²	SN-T	SN-T	SN-T	SN-T
Storage period in event of power failure (hours)	25	25	25	25
Noise level (dB(A) re 1 pW)	40	40	39	39
Noise Emission	C	C	C	C
Dimensions of the product (H x W x D) (cm)	186 x 60 x 65	186 x 60 x 65	186 x 60 x 65	186 x 60 x 65
EAN code	4242005223077	4242005206612	4242005194025	4242005097876
Matching Fridge		KSV36AWEPG	KSV36VLEP	KSV36VW3PG
matching i nuge		NOVOUMWEFU	NOVOUVLEF	กองอบงงอาน

Freezers



ТҮРЕ	FREEZER	FREEZER	FREEZER	FREEZER
DESIGN FAMILY	SERIE 4	SERIE 4	SERIE 4	SERIE 4
MODEL	GSN33VLEP	GSN33VWEPG	GSN29VLEP	GSN29VWEVG
Colour	Stainless steel look	White	Stainless steel look	White
DESIGN FEATURES				
Frost-free system	noFrost	noFrost	noFrost	noFrost
Colour of side panels	Chrome inox metallic	White	Chrome inox metallic	White
Door handle type	Vertical Bar	Vertical Bar	Vertical Bar	Vertical Bar
Temperature display	Interior / Electronic LED			
Reversible door, hinged on right	•	•	•	•
Latest Condenser Technology	•	•	•	•
Home Connect / Built in cameras	-/-	-/-	-/-	-/-
FOOD FRESHNESS SYSTEM				
MultiAirflow system	•	•	•	•
KEY FEATURES – FREEZER SECTION				
LED light	•	•	•	•
Number of freezer compartments	7	7	6	6
Number of freezer drawers including bigBox	4	4	4	5
Number of freezer flaps / easyAccess shelves	-/3	-/3	-/2	1/-
Number of glass safety shelves	6	6	5	5
SuperFreeze function	•	•	•	•
Twist Ice Box	-	-	-	-
Number of ice packs / ice cube trays	2/1	2/1	1/1	1/1
FUNCTIONS				
Door open warning signal / malfunction	•	•	•	
Holiday / Sabbath mode	-/-	-/-	-/-	-/-
PERFORMANCE AND CONSUMPTION				
Energy efficiency class	A E	A E	(E	Ĝ E
Annual energy consumption ¹ (kWh)	229	229	221	221
Freezer net capacity (litres)	225	225	200	200
Climate Class ²	SN-T	SN-T	SN-T	SN-T
Storage period in event of power failure (hours)	25	25	25	25
Noise level (dB(A) re 1 pW)	39	39	39	39
Noise Emission	C	C	C	C
Dimensions of the product (H x W x D) (cm)	176 x 60 x 65	176 x 60 x 65	161 x 60 x 65	161 x 60 x 65
EAN code	4242005247974	4242005247981	4242005247929	4242005247943
Matching Fridge	KSV33VLEP	KSV33VWEPG	KSV29VLEP	KSV29NWEPG

^{• =} yes -= no

¹Actual energy consumption will depend on how the appliance is used and where it is located. ²Climate zone SN = designed to operate in ambient temperatures of +10°C to 32°C. Climate zone T = designed to operate in ambient temperatures of +18°C to 43°C.

Undercounter fridges & freezers













ТҮРЕ	UNDERCOUNTER FRIDGE	UNDERCOUNTER Fridge Freezer	UNDERCOUNTER FRIDGE FREEZER
DESIGN FAMILY	SERIE 2	SERIE 2	SERIE 2
MODEL	KTR15NWFAG	KTL15NWFAG	GTV15NWEAG
Colour	White	White	White
DESIGN FEATURES			
Colour of side panels	White	White	White
Door handle type	Integrated Horizontal	Integrated Horizontal	Integrated Horizontal
Temperature display	-	-	-
Reversible door, hinged on right	•	•	•
Latest Condenser Technology	-	-	-
Home Connect / Built in cameras	-/-	-/-	-/-
FOOD FRESHNESS SYSTEM			
Food preservation container	1 x MultiBox vegetable drawer	1 x MultiBox vegetable drawer	-
KEY FEATURES – FRIDGE SECTION			
LED light	•	•	-
SuperCool function			
Bottle rack			
Number of glass safety shelves	3	2	
Number of adjustable shelves	1	1	-
Number of door bins large / small	1/2	1/2	-
Dairy compartment	-		-
Number of egg racks	2	2	-
KEY FEATURES – FREEZER SECTION			
Number of freezer compartments		1	3
SuperFreeze function		-	•
Number of ice packs / ice cube trays	-/-	-/-	-/-
FUNCTIONS			
Door open warning signal / malfunction		-	
Holiday / Sabbath mode	-/-	-/-	-/-
PERFORMANCE AND CONSUMPTION			
Energy efficiency class	F	A F	ā E
Annual energy consumption ¹ (kWh)	114	142	164
Total unit net capacity (litres)	136	120	83
Refrigerator net capacity (litres)	136	106	
Freezer net capacity (litres)		14	83
Climate Class ²	SN-T	SN-T	SN-T
Noise level (dB(A) re 1 pW)	39	39	39
Noise emission	С	D	С
Dimensions of the product (H x W x D) (cm)	85 x 56 x 58	85 x 56 x 58	85 x 56 x 58
EAN code	4242005209125	4242005209095	4242005208968

191

SN-T

1 x connection hose, 1 x egg tray

1787

908

French door fridge freezer

Serie 8

KFF96PIEP





Available May 2021 Colour of door panels Innox Easy clean Colour of sides Style of handle Horizontal and Vertical Bar noFrost in fridge and freezer Home Connect, WiFi dongle included 3 x VitaFresh Plus drawers, 1 x chiller drawer VitaFresh / FreshSafe / hyperFresh Product highlights LED Water dispenser Internal Type of control Electronic Number of shelves Number of adjustable shelves Shelves for bottles Number of door bins / shelves Temperature display Digital Warning signal door open Visual and audible Door opened indicator Visual and audible Temperature adjustable in freezer Number of ice cube travs Automatic ice cube maker Ice dispenser features Internal / Ice cubes Number of freezer drawers A E Energy efficiency class Total net capacity (litres) 573 402 Freezer net capacity litres (litres) Noise level (dB(A) re 1 pW)

Depth of product (mm)

Height of product (mm)

Width of product (mm)

 1 Actual energy consumption will depend on how the appliance is used and where it is located. 2 Climate zone SN = designed to operate in ambient temperatures of +10 $^{\circ}$ C to 32 $^{\circ}$ C.





For full specification details, please log onto our website and download a full specification sheet

American fridge freezers

Serie 6

KAG93AIEPG





For full specification details, please log onto our website and download a full specification sheet.

TYPE	AMERICAN
DESIGN FAMILY	SERIE 6
MODEL NUMBER	KAG93AIEPG
DESIGN FEATURES	
Colour of door panels	Stainless steel Easy clean
Colour of sides	Grey
Style of handle	Vertical Bar
Colour of handle	Stainless steel
noFrost in fridge and freezer	•
Home Connect, WiFi dongle included	
FOOD FRESHNESS SYSTEM	
VitaFresh / FreshSafe / hyperFresh	2 x MultiBox drawers on rails
KEY FEATURES – FRIDGE SECTION	
Product highlights	LED
Water dispenser	-
SuperCool	•
Type of control	Electronic
Number of shelves	5
Number of adjustable shelves	
Shelves for bottles	1
Number of door bins / shelves	5
Temperature display	Digital
Warning signal door open	Visual and audible
KEY FEATURES - FREEZER SECTION	
Door opened indicator	Visual and audible
SuperFreeze function	•
Temperature adjustable in freezer	•
Number of ice cube trays	Automatic ice cube maker
Ice dispenser features	Crushed Ice, Homebar, Ice Cubes, Water, Water filter
Number of freezer drawers	2
ADDITIONAL INFORMATION	
Energy efficiency class	ê E
Annual energy consumption ¹ (kWh)	323
Total net capacity (litres)	560
Refrigerator net capacity (litres)	369

Climate class² Noise level (dB(A) re 1 pW)

Freezer net capacity litres (litres)

Additional accessories included

Height of product (mm)

Width of product (mm)

Depth of product (mm)

 $^{^{1}}\!\text{Actual}$ energy consumption will depend on how the appliance is used and where it is located. 2 Climate zone SN = designed to operate in ambient temperatures of +10 $^{\circ}$ C to 32 $^{\circ}$ C. Climate zone T = designed to operate in ambient temperatures of +18 $^{\circ}$ C to 43 $^{\circ}$ C.





American fridge freezers





ТҮРЕ	AMERICAN	AMERICAN
DESIGN FAMILY	SERIE 6	SERIE 6
MODEL NUMBER	KAD93VIFPG	KAD93VBFPG
DESIGN FEATURES		
Colour of door panels	Stainless steel, Easy clean	Black
Colour of sides	Grey	Grey
Style of handle	Vertical Bar	Vertical Bar
Colour of handle	Stainless steel	Stainless steel
noFrost in fridge and freezer	•	•
Home Connect, WiFi dongle included	4	•
FOOD FRESHNESS SYSTEM		
VitaFresh / FreshSafe / hyperFresh	2 x MultiBox drawers on rails	2 x MultiBox drawers on rails
KEY FEATURES – FRIDGE SECTION		
Product highlights	LED	LED
Water dispenser	e e	
SuperCool	•	•
Type of control	Electronic	Electronic
Number of shelves	5	5
Number of adjustable shelves	·	
Shelves for bottles	·	
Number of door bins / shelves	5	5
Temperature display	Digital	Digital
Warning signal door open	Visual and audible	Visual and audible
KEY FEATURES - FREEZER SECTION		
Door opened indicator	Visual and audible	Visual and audible
SuperFreeze function	•	•
Temperature adjustable in freezer		•
Number of ice cube trays	Automatic ice cube maker	Automatic ice cube maker
Ice dispenser features	Crushed Ice, Ice Cubes, Water, Water filter	Crushed Ice, Ice Cubes, Water, Water filter
Number of freezer drawers	2	2
PERFORMANCE AND CONSUMPTION		
Energy efficiency class	â F	₫ F
Annual energy consumption ¹ (kWh)	404	404
Total net capacity (litres)	562	562
Refrigerator net capacity (litres)	371	371
Freezer net capacity litres (litres)	191	191
Climate class ²	SN-T	SN-T
Noise level (dB(A) re 1 pW)	42	42
Noise emission class	D	D
Additional accessories included	1 x connection hose, 1 x egg tray	1 x connection hose, 1 x egg tray
Height of product (mm)	1787	1787
Width of product (mm)	908	908
Depth of product (mm)	707	707



Actual energy consumption will depend on how the appliance is used and where it is located. 2 Climate zone SN = designed to operate in ambient temperatures of +10°C to 32°C. Climate zone T = designed to operate in ambient temperatures of +18°C to 43°C.

For full specification details, please log onto our website and download a full specification sheet.





ТҮРЕ	AMERICAN	AMERICAN
DESIGN FAMILY	SERIE 6	SERIE 4
MODEL NUMBER	KAI93VIFPG	KAN93VIFPG
DESIGN FEATURES		
Colour of door panels	Stainless steel, Easy clean	Stainless steel, Easy clean
Colour of sides	Grey	Grey
Style of handle	Vertical Bar	Vertical Bar
Colour of handle	Stainless steel	Stainless steel
noFrost in fridge and freezer	•	•
Home Connect, WiFi dongle included	·	•
FOOD FRESHNESS SYSTEM		
VitaFresh / FreshSafe / hyperFresh	2 x MultiBox drawers on rails	2 x MultiBox drawers on rails
KEY FEATURES – FRIDGE SECTION		
Product highlights	LED	LED
Water dispenser	· ·	
SuperCool	•	•
Type of control	Electronic	Electronic
Number of shelves	5	5
Number of adjustable shelves		
Shelves for bottles		
Number of door bins / shelves	5	5
Temperature display	Digital	Digital
Warning signal door open	Visual and audible	Visual and audible
KEY FEATURES - FREEZER SECTION		
Door opened indicator	Visual and audible	Visual and audible
SuperFreeze function	•	•
Temperature adjustable in freezer		•
Number of ice cube trays	Automatic ice cube maker	<u>.</u>
lce dispenser features	Crushed Ice, Ice Cubes, Water	·
Number of freezer drawers	2	
ADDITIONAL INFORMATION		
Energy efficiency class	(a) D	₹ F
Annual energy consumption ¹ (kWh)	343	413
Total net capacity (litres)	533	580
Refrigerator net capacity (litres)	368	372
Freezer net capacity litres (litres)	165	208
Climate class ²	SN-T	SN-T
Noise level (dB(A) re 1 pW) Noise emission class	42 D	42 D
Noise emission class Additional accessories included	D 1 x egg tray	D 1 x egg tray
Additional accessories included Height of product (mm)	1 x egg tray 1787	1 x egg tray 1787
Width of product (mm)	908	908
Depth of product (mm)	707	707
()		

**Actual energy consumption will depend on how the appliance is used and where it is located. 2 Climate zone SN = designed to operate in ambient temperatures of +10°C to 32°C. Climate zone T = designed to operate in ambient temperatures of +18°C to 43°C.

For full specification details, please log onto our website and download a full specification sheet.

Wine cabinets

Your own personal wine cellar.

The new range of stylish Bosch wine cabinets blend seamlessly into your kitchen, while constantly keeping your red and white wine perfectly stored and at an ideal temperature.







ТҮРЕ	WINE COOLER	WINE COOLER	
DESIGN FAMILY	SERIE 6	SERIE 6	
MODEL NUMBER	твс	твс	
Colour	Black, Glass door	Black, Glass door	
DESIGN FEATURES			
Colour of side panels	Cast iron	Cast iron	
Type of glass door	3 glass panels, UV-filtered	3 glass panels, UV-filtered	
Door handle type	Integrated Vertical, Push to open	Integrated Vertical, Push to open	
Temperature display	Interior / Digital LED	Interior / Digital LED	
Reversible door, hinged on right	•	•	
Home Connect / Built in cameras	·/·	-/-	
KEY FEATURES			
Range of temperature (0°C)	5-20	5-20	
Temperature zones	2	2	
LED light	•	•	
Number of shelves	10	5	
Number of oak shelves	8	3	
Number of adjustable shelves	4		
Presenter shelf and lighting	•		
Capacity in 0.75I (Bordeaux bottles)	199	44	
FUNCTIONS			
Door open warning signal / malfunction	•	•	
Child lock	•	•	
PERFORMANCE AND CONSUMPTION			
Energy efficiency class	TBC	TBC	
Annual energy consumption ¹ (kWh)	TBC	TBC	
Refrigerator net capacity (litres)	367	108	
Climate class ²	SN - ST	SN-ST	
Noise level (dB(A) re 1 pW)	38	38	
Noise emission class	D	D	
Dimensions of the product (H x W x D) (cm)	185.7 x 59.8 x 60.5	81.8 x 59.8 x 58.6	
EAN code	4242005225576	4242005225545	

For full specification details, please log onto our website and download a full specification sheet

Introducing the Bosch vacuum cleaner range.

The vacuum **battery power** you can trust.

Whether you need your vacuum to be flexible enough to tackle those hard to reach places, quick charging to use when time is tight, or powerful enough to take on your whole house from floor to ceiling, the Bosch range of vacuums has a model to suit you.



The pioneers of power.

Today, Bosch's batteries are unrivalled, offering compact and lightweight long-life batteries that consistently deliver on power, performance and efficiency – making Bosch the number one choice for cordless technology in the home and garden.



The **Flexxo**

The flexible one. Perfect for those hard to reach spaces.

The Flexxo is lightweight and flexible enough to manoeuvre into the trickiest of spaces, while the integrated accessories mean that you have everything you need at your fingertips.



The Athlet

The powerful one. Less effort, with more cleaning power.

With a runtime of up to 75 minutes, the Athlet's powerful, cordless technology will take any floor in its stride, no matter what crumbs, dust or pet hair stand in its way.



The never ending one. Works on so many levels.

The Unlimited handheld vacuum offers powerful 360 degree cordless cleaning and the battery is also exchangeable*, which means it's always ready to go, whenever you need it. *Additional battery with selected models.



We have the **perfect** vacuum cleaner for all **lifestyles**.

For the Athlet, Flexxo and Unlimited vacuum cleaner range there is a ProAnimal, ProPower or ProHome model. Bosch makes it easy to choose the perfect vacuum for your lifestyle and cleaning requirements.







Unlimited Serie 8

Power4All System.

Bosch battery technology ensures powerful performance across all our products. The exchangeable **Power4All System** only requires a single battery pack, which means complete flexibility when charging. The battery is part of our Power4All system so it's compatible with more than 20 power tools and lawn and garden products from Bosch.



ProAnimal

BBS81PETGB



	SERIE 8
MODEL NUMBER	BBS81PETGB
	Multi use
SUB-RANGE	ProAnimal
FEATURES	
	Power for ALL interchangeable battery packs
Main Trade Up Feature	Pet kit 8 x accessories
Continuous runtime	
All Floors	•
SmartSensor	
Lithium battery	•
Advanced Lithium battery	•
Turbo Spin Motor	-
HiSpin motor	•
Performace brush bar	•
large, aerodymanic brush bar	•
Motorised brush head	•
Cartridge filter cleaning	•
Auto clean filter	•
BDLC motor	-
Additional Features	-
ACCESSORIES	
Pet Mini Turbo	•
Hose	-
XXL Upholstery Tool	-
XXL Crevice nozzle	-
2 in 1 crevice/upholstery tool	•
Flexible crevice tool	•
Removeable handheld	•
Mattress Nozzle	•
Keyboard nozzle	•
Additional Brushbar	•
Short handle	•
Athlet strap	-
Exchangeable battery pack	•
Wall mount	-
Spare filter	•
CHARGING	
Charge time	5 hours
Docking station	•
Fast charger	•
POWER & PERFORMANCE	
Runtime	40 mins
Volts	18.0V
Ampere Hour	3
Batteries included	1
Removable Power4All batteries	•
More Power	-
Superior Performance	
TECHNICAL SPECS	
Weight (kg)	2.9
	2.9 0.4

UNLIMITED VACUUM CLEANERS

Unlimited Serie 6

Experience Bosch's lightest ever cordless handstick vacuum with the flexibility to clean from floors to ceilings and sofas to cars. You can also swap batteries between the Unlimited vacuum and compatible Bosch cordless garden and power tools.



ProHome
BCS612GB

TYPE	JUM CLEANERS		
DESIGN FAMILY	SERIE 6	SERIE 6	
MODEL NUMBER	BCS612GB	BCS611GB	
	Multi use	Multi use	
SUB-RANGE	ProHome	ProHome	
FEATURES			
	Power for ALL interch	angeable battery packs	
Main Trade Up Feature	2 x batteries	3 accessories	
Continuous runtime			
All Floors	•	•	
SmartSensor		•	
Lithium battery	•	•	
Advanced Lithium battery	•	•	
Turbo Spin Motor HiSpin motor	-	•	
Performace brush bar	•	•	
large, aerodymanic brush bar			
Motorised brush head	•	•	
Cartridge filter cleaning			
Auto clean filter			
BDLC motor	•	•	
Additional Features	-		
ACCESSORIES			
Pet Mini Turbo			
Hose	-	•	
STD Crevice tool	-	-	
XXL Upholstery Tool	-	•	
STD Upholstery tool	-	•	
XXL Crevice nozzle	-	•	
2 in 1 crevice/upholstery tool	•	•	
Flexible crevice tool	•	•	
Removeable handheld	•	•	
Mattress Nozzle	•	•	
Keyboard nozzle Additional Brushbar	· · · · · · · · · · · · · · · · · · ·	•	
Short handle			
Athlet strap	-		
Exchangeable battery pack	-		
Wall mount	-		
Spare filter	-		
CHARGING			
Charge time	5 hours	5 hours	
Docking station	•	•	
Fast charger		•	
POWER & PERFORMANCE			
Runtime	60 mins	30 mins	
Volts	18.0V	18.0V	
Ampere Hour	2.5	2.5	
Batteries included	2	1	
Removable Power4All batteries	•	•	
More Power Superior Performance			
TECHNICAL SPECS			
	2.2	2.2	
Weight (kg) Dust Bin size (L)	2.3 0.4	2.3 0.4	
DUST DILI SIZE (L)	0.4	0.4	

Athlet

Vacuum cleaners







ТҮРЕ	ATHLET ULTIMATE VACUUM CLEANER		ATHLET VACUU	IM CLEANERS	
DESIGN FAMILY	SERIE 8	SERIE 4	SERIE 4	SERIE 4	SERIE 4
MODEL NUMBER	BCH7PETGB	BCH6PETGB	BCH625K2GB	BCH625KTGB	BCH85KITGB
	1in1	1in1	1in1	1in1	1in1
SUB-RANGE	ProAnimal	ProAnimal	ProHome	ProHome	ProHome
FEATURES					
	High Performance, 75min+runtime		60 min run time		45 min run time
Main Trade Up Feature	6 x accessories	6 x accessories	6 x accessories	60 min runtime	6 x accessories
Continuous runtime					
All Floors	•	•	•	•	•
SmartSensor	•	•	•	•	•
Lithium battery		•	•	•	•
Advanced Lithium battery Turbo Spin Motor	•	•	·	-	•
HiSpin motor			-		
Performace brush bar	·		-	-	-
large, aerodymanic brush bar	•		-	-	-
Motorised brush head	•	•	•	•	•
Cartridge filter cleaning	•	-	-	-	-
Auto clean filter	•	-	-	-	-
BDLC motor	•		-	-	-
Additional Features	-	-	<u> </u>	-	-
ACCESSORIES					
Pet Mini Turbo	•	-	-	-	-
Hose	•	•	•	•	•
STD Crevice tool	•	•	•	•	•
XXL Upholstery tool	•	•	•	•	•
STD Upholstery tool	-	•	- · · · · · · · · · · · · · · · · · · ·		•
XXL Crevice nozzle 2 in 1 crevice/upholstery tool	•	•	·	•	•
Flexible crevice tool			-	-	-
Removeable handheld			-	-	-
Mattress Nozzle	•	•	•	-	-
Keyboard nozzle			-	-	-
Additional Brushbar	-	-	-	-	-
Short handle	•	•	•	-	•
Athlet strap	•	•	•	•	•
Exchangeable battery pack	•	•	•	-	-
Wall mount	-	•	-	-	-
Spare filter	-		•	•	•
CHARGING					
Charge time	6 hours	6 hours	6 hours	6 hours	6 hours
Docking station			· ·		-
Fast charger			•		
POWER & PERFORMANCE					
Runtime	75 mins	60 mins	60 mins	60 mins	45 mins
Volts	32.4V	25.2V	25.2V	25.2V	18 V
Ampere Hour	-	•			
Batteries included	Integrated	Integrated	Integrated	Integrated	Integrated
Removable Power4All batteries		-			-
More Power	-	•	•	•	-
Superior Performance					
TECHNICAL SPECS					
Weight (kg)	3.3	3.3	3.3	3.3	3.3
Dust Bin size (L)	0.9	0.9	0.9	0.9	0.9
Performance levels	3	3	3	3	3





ТҮРЕ		FLEXXO		READYY
DESIGN FAMILY	SERIE 4	SERIE 4	SERIE 4	SERIE 4
MODEL NUMBER	BBH3PETGB	BBH3251GB	BBH3211GB	BCHF220GB
	2in1	2in1	2in1	2in1
SUB-RANGE	ProAnimal	ProHome	ProClean	ProClean
FEATURES				
	Tools on Board	Tools on Board	Tools on Board	Integrated handheld
Main Trade Up Feature	Pet kit 8 x accessories	55 min runtime, 25V	3 accessories	20V 44 min
Continuous runtime				
All Floors	•	•	•	•
SmartSensor	•	•	•	•
Lithium battery	•	•	•	•
Advanced Lithium battery	•		-	-
Turbo Spin Motor	•	·	•	•
HiSpin motor	•	· ·	•	-
Performace brush bar	•	· · · · · · · · · · · · · · · · · · ·		•
large, aerodymanic brush bar	_			_
Motorised brush head	•	•	•	•
Cartridge filter cleaning	•	· · · · · · · · · · · · · · · · · · ·		•
Auto clean filter	-	· · · · · · · · · · · · · · · · · · ·		•
BDLC motor	•	· · · · · · · · · · · · · · · · · · ·	•	•
Additional Features				
ACCESSORIES				
Pet Mini Turbo	-	-	-	-
Hose	•	· ·	-	-
STD Crevice tool	-	-	·	-
XXL Upholstery Tool	•	-	•	•
STD Upholstery tool	-	-		•
XXL Crevice nozzle	•	•	•	•
2 in 1 crevice/upholstery tool	•	•	•	•
Flexible crevice tool	•	•	•	•
Removeable handheld	-	-	-	•
Mattress Nozzle	-	-	-	•
Keyboard nozzle	-	<u>-</u>	-	-
Additional Brushbar	•	<u>-</u>	-	-
Short handle	-	<u>-</u>	-	-
Athlet strap	-	*	•	•
Exchangeable battery pack	-	•	•	•
Wall mount Spare filter				•
				•
CHARGING				
Charge time	5 hours	5 hours	5 hours	5 hours
Docking station	-	-	-	-
Fast charger	-		•	-
POWER & PERFORMANCE				
Runtime	55 mins	55 mins	50 mins	44 mins
Volts	25.2V	25.2V	21.6V	20.0V
Ampere Hour	-	-	-	-
Batteries included	Integrated	Integrated	Integrated	Integrated
Removable Power4All batteries		-	-	-
More Power	-	-	-	•
Superior Performance	-	-	-	÷
TECHNICAL SPECS				
Weight (kg)	3.0	3.0	3.0	2.5
Dust Bin size (L)	0.4	0.4	0.4	0.4
Performance levels	2	2	2	2
i ci ioi ilialice levela	4	2	2	4

Microwaves



OVEN TYPE	MICROWAVE OVEN	MICROWAVE OVEN WITH GRILL	MICROWAVE OVEN	MICROWAVE OVEN WITH GRILL	MICROWAVE OVEN
DESIGN FAMILY	SERIE 2	SERIE 2	SERIE 2	SERIE 2	SERIE 2
MODEL/COLOUR	HMT84M421B - WHITE HMT84M461B - BLACK HMT84M451B - STAINLESS STEEL	HMT75G451B - STAINLESS STEEL	HMT75M461B - BLACK HMT75M451B - STAINLESS STEEL HMT75M421B - WHITE	HMT72G450B - STAINLESS STEEL	HMT72M450B - STAINLESS STEEL
DESIGN					
Electronic controls	•	•	•		
Control Dial	•	•	•	•	•
Retractable control dial	1	1	1	-	-
Push buttons	•	•	•	•	•
Left hinged door	•	•	•	•	•
Door Open Button	•	•	•	•	•
FEATURES					
Electronic clock timer	Red LED	Red LED	Red LED		
Interior lights	1 standard	1 standard	1 standard	1 standard	1 standard
Max. 99 minute timer	1 Standard	2 5001000	1500000	-	-
Max. 60 minute timer		-			•
Stainless steel interior	_	•	_	<u>.</u>	-
Laquered interior		· · · · · ·	•	_	
Glass turntable	•	•		<u>-</u>	
PROGRAMMES / FUNCTIONS					
Microwave	•	•		•	_
Quartz grill	·	•	•	<u> </u>	•
•			-	•	•
Microwave and Grill Combination operation	-	•	-	•	-
Microwave / grill combination programmes	7		-	-	-
Automatic programmes	/	8	7	-	-
Memory function	•	•	•	<u> </u>	-
PERFORMANCE / TECHNICAL INFORM	MATION				
Cavity dimensions (HxWxDmm)	215x337x354	194x290x274	194x290x274	194x290x274	194x290x274
Useable oven capacity (L)	25	17	17	17	17
Microwave distribution	Turntable	Turntable	Turntable	Turntable	Turntable
Turntable diameter (mm)	315	245	245	245	245
Maximum microwave power (W)	900	800	800	800	800
Number of microwave power levels	5	5	5	5	5
Grill power (W)	-	1000	-	1000	-
Voltage (V)	230	230	230	230	230
Total connected loading (W)	1450	1270	1270	1270	1270
Cable length (cm)	130	130	130	130	130
GB plug	•	•	•	•	•
STANDARD ACCESSORIES					
Wire rack		1		1	
Turntable	1	1	1	1	1
rarriuano		1	-		-

Food Preparation

Bosch makes it, easy.

Our multi-functional stand mixers, food mixers and processors are packed with innovative, labour-saving technology so you can chop, blend, shred, mix and whisk your way more quickly through your food preparation task.

ТҮРЕ	OPTIMUM STAND MIXER
MODEL	MUM9GX5S21
Housing colour	Platinum silver
Side panel colour	Black
Housing material	Metal
Wattage / Power (W)	1500
SensorControl (egg whites / cream / yeast dough)	•
Scale	
Timer	-
Speed settings	7-stage
On/Off switch with LED indication	Illuminated ON / OFF switch
Gentle start	iliulililateu ON / OFF SWITCH
	•
Bowl with anti-splash cover (SAN) Stainless steel	•
Plastic	
Volume bowl (I)	5.5
Max. flour + ingredients (kg)	1.5
Max. dough capacity yeast dough (kg)	•
Max. dough capacity sponge mixture (kg)	3.5
Stirring concept	3D Planetary Mix
Parking position	-
Tools (stainless steel) Stirring whisk	
Beating whisk	•
Dough hook	•
Professional Absolute stirring whisk	•
Professional Steering & beating whisk	
ACCESSORIES/ NUMBER	
Colour coding	•
Blender / jar with scale Plastic blender / jar blender / jar	
Glass blender / jar	
	8.500 min-1
rpm	8,500 min-1
ToGo bottle with drinking lid, BPAfree	-
Glass grinder (detach. stainl. st. knife, dishw. safe)	•
Glass chopper (detach. stainl. st. knife, dishw. safe)	•
Glass containers with storage lid	
Continuous shredder with stainless steel discs	•
Multi mixer with stainless steel discs	-
Number of discs / functions continuous shredder	•
Reversible slicing disc thick / thin	•
Reversible shredding disc coarse / fine	-
Rough grating disc	•
Grating disc medium / fine	
ProfessionalSuperCut disc	-
Asia-vegetable / Julienne disc	
Meat mincer Diameter 3 mm disc holes	
Diameter 5 mm disc holes	
Diameter 8 mm disc holes	
Fancy biscuit attachment	
Citrus press	
Cube cutter with cleaning brush insert with 0.9 x 0.9 cm	
insert with 0.9 x 0.9 cm	·
	Auto autocation
Storage Cable storage	Auto. cable retraction
Accessory holder	•
Accessory bag / grey	•
Accessory bag / red	
Plug-type	GB plug
Safety features Overload protection	-
Safety lock Suction feet for extra stability	- Rubber feet
RECIPES	Hubbet feet
	Literate Pro
Booklet	Integrated in
Booklet DVD	Integrated in - Arabic, Chinese, Chinese trad(zh-tw) English, Malay

Make sense of mixing with Optimum.

Intuitive sensor technology and incredible versitility means the Optimum easily takes care of all your mixing, weighing, chopping and blending.

Offering everything-in-one, this stand mixer makes cooking and baking a whole lot easier for you. Including a huge variety of professional accessories for all your cooking and baking ideas, this is the only stand mixer you will ever need to bring your recipes to life.

Integrated scales.

The Optimum makes life even easier thanks to the built-in scales that accurately weigh all your ingredients as you add them to the bowl, saving you cleaning additional bowls.

Perfectly mixed ingredients.

Your ingredients will be perfectly mixed thanks to the 3D Planetary mixing system. Simply add your ingredients to the bowl and let the mixer do the work for you. The mixing tool is rotated in three different directions, this ensures all the ingredients are perfectly mixed and nothing remains stuck to the sides of the bowl, eliminating the need to use a spatula as well. The large stainless steel mixing bowl with 5.5L capacity and two handles further guarantees ease of use.

Thanks to smart tool detection, no matter what tool is used, the Optimum takes care of the maximum speed for each tool.

The CreationLine Stand Mixer will look stunning in any kitchen, thanks to it's elegant design.



Multifunctional.

Whether you want to whisk, mix, knead or chop, the CreationLine saves you from needing to own multiple devices, freeing up that well needed space in your kitchen. Your dishes will also be ready even quicker thanks to the 7 speed settings.

Included in the box are flexi stirring whisk with silicon edge, beating whisk, kneading hook as well as the shredder with 4 stainless steel shredding and grating discs.

Additional accessories available for purchase.

3D Planetary Mixing. 3D Planetary Mixing means the tools move in three directions, while the socket turns in the opposite direction, ensuring the mixture is picked up properly from around the sides, bottom and centre of the bowl.

Integrated timer & scales

The handy integrated timer and scale, including LED display and tare function, are meticulously precise, meaning perfect results every time!

TYPE	CREATIONLINE STAND MIXER WITH SCALE
MODEL	MUM5XW10GB
Housing colour	White
Side panel colour	Champagne
Housing material	Plastic
Wattage / Power (W)	1.000
SensorControl (egg whites / cream / yeast dough)	-
Scale	•
Timer	•
Speed settings	7-Stage
On/Off switch with LED indication	LED indicator
Gentle start	•
Bowl with anti-splash cover (SAN) Stainless steel	•
Plastic	-
Volume bowl (I)	3.90
Max. flour + ingredients (kg)	1.00
Max. dough capacity yeast dough (kg)	-
Max. dough capacity sponge mixture (kg)	2.7
Stirring concept	3D Planetary Mix
Parking position	•
Tools (stainless steel) Stirring whisk	-
Beating whisk	-
Dough hook (kneading hook)	•
Premium stirring whisk	•
Premium beating whisk	•
Professional Absolute stirring whisk	-
Professional Steering & beating whisk	
Professional kneading hook	
Beating whisk set	
Kneading hook stainless steel/aluminium	-
ACCESSORIES / NUMBER	
Smart tool detection	
Blender / jar with scale Plastic blender / jar blender / jar	-
Glass blender / jar	
rpm	14.000 min-1
ToGo bottle with drinking lid, BPAfree	1.000 1
Glass grinder (detach. stainl. st. knife, dishw. safe)	
Glass chopper (detach. stainl. st. knife, dishw. safe)	
Glass containers with storage lid	

Beating whisk set	
Kneading hook stainless steel/aluminium	
ACCESSORIES / NUMBER	
Smart tool detection	
Blender / jar with scale Plastic blender / jar blender / jar	
Glass blender / jar	-
rpm	14.000 min-1
ToGo bottle with drinking lid, BPAfree	-
Glass grinder (detach. stainl. st. knife, dishw. safe)	-
Glass chopper (detach. stainl. st. knife, dishw. safe)	-
Glass containers with storage lid	-
Continuous shredder with stainless steel discs	•
Multi mixer with stainless steel discs	
Number of discs / functions continuous shredder	-
Reversible slicing disc thick / thin	•
Reversible shredding disc coarse / fine	•
Course grating disc	
Fine grating disc	•
Reversible shredding and slicing disc	
SuperCut disc	
French fries disc	-
Asia vegetable disc	-
Meat mincer Chamber size	
Blocking power	
Output (kg/min)	
Diameter 3 mm disc holes	-
Diameter 5 mm disc holes	-
Diameter 8 mm disc holes	-
Fancy biscuit attachment	-
Citrus press	-
Cube cutter with cleaning brush insert with 0.9 x 0.9 cm	-
insert with 1.3 x 1.3 cm	-
Storage Cable storage	Auto. cable retraction
Accessory bag / grey	•
Plug-type	GB plug
Safety features Suction feet for extra stability	Rubber feet
RECIPES	
Booklet	-
DVD	-

Stand Mixers

• = Yes - = No



ТУРЕ	SERIE 2 STAND MIXER	CREATIONLINE STAND MIXER
MODEL	MUMS2EW00G	MUM59340GB
Housing colour	White	Grey
Side panel colour	White	Anthracite
Housing material	Plastic	Plastic
Wattage / Power (W)	700	1000
SensorControl (egg whites / cream / yeast dough)	-	1000
	•	·
Scale	•	·
Timer		•
Speed settings	4-stage	7-stage
On/Off switch with LED indication	•	LED indicator
Gentle start	•	•
Bowl with anti-splash cover (SAN) Stainless steel	•	•
Plastic		
Volume bowl (I)	3.8	3.9
Max. flour + ingredients (kg)	0.75	0.75
Max. dough capacity yeast dough (kg)		
Max. dough capacity years dough (kg)	2	2
Stirring concept	3D Planetary Mixing	3D Planetary Mixing
Parking position	•	•
Tools (stainless steel) Stirring whisk	•	
Beating whisk	•	•
Dough hook (kneading hook)	•	•
Premium stirring whisk		•
Premium beating whisk		•
Professional Absolute stirring whisk		
Professional Steering & beating whisk		
Professional kneading which		
Beating whisk set		·
	•	•
Kneading hook stainless steel/aluminium	•	· · · · · · · · · · · · · · · · · · ·
Smart tool detection Blender / jar with scale Plastic blender / jar blender / jar		•
Glass blender / jar	•	
rpm		14.000 min-1
ToGo bottle with drinking lid, BPAfree	•	•
Glass grinder (detach. stainl. st. knife, dishw. safe)	•	•
Glass chopper (detach. stainl. st. knife, dishw. safe)	•	•
Glass containers with storage lid	•	•
Continuous shredder with stainless steel discs		•
Multi mixer with stainless steel discs		
Number of discs / functions continuous shredder		
Reversible slicing disc thick / thin		
Reversible shredding disc coarse / fine		•
Course grating disc		•
Fine grating disc		
	•	•
Reversible shredding and slicing disc	•	•
SuperCut disc	•	•
French fries disc		
Asia vegetable disc	•	•
Meat mincer Chamber size	•	•
Blocking power		
Output (kg/min)		
Diameter 3 mm disc holes		
Diameter 5 mm disc holes		
Diameter 8 mm disc holes		·
Fancy biscuit attachment		
	·	·
Citrus press	·	
Cube cutter with cleaning brush insert with 0.9 x 0.9 cm		·
insert with 1.3 x 1.3 cm	•	•
Storage Cable storage	Cable storage compartment	Auto. cable retraction
Accessory bag / grey	•	•
Plug-type	GB plug	GB plug
Safety features Suction feet for extra stability	Rubber feet	Rubber feet
RECIPES		
Booklet	Integrated in	Downloadable from barcode

Food Processors



ТҮРЕ	KITCHEN MACHINE	KITCHEN MACHINE	KITCHEN MACHINE	KITCHEN MACHINE
BRAND	MULTITALENT3	MULTITALENT3	MULTITALENT8	MULTITALENT8
MODEL	MCM3100WGB	MCM3501MGB	MC812S734G	MC812M853G
Housing colour	White	Black	White	Black
ront colour	Grey	Brushed stainless steel	Brushed stainless steel	Brushed stainless steel
lousing material	Plastic	Plastic	Plastic	Plastic
Vattage / Power (W)	700	800	1200	1250
Speed settings	2-stage	2-stage	Infinitely variable	Infinitely variable
Pulse function	-		-	-
LED			Illuminated ON / OFF switch	Illuminated ON / OFF switch
	•		munimated on / or i switch	munimated ON / OFF SWITCH
Bowl (BPAfree) M: plastic (vol max xml / usable 2.300ml)	•	•	-	-
L: plastic (vol max 3.900ml / usable 2.400ml)			•	•
Max. flower + ingredients (kg)	0.8	0.8	1.5	1.5
Max. dough capacity sponge mixture (kg)	0.8	0.8	1.5	1.5
Knife (stainless steel) M: Universal knife	•	•	•	•
L: serrated knife	-	-	•	•
ACCESSORIES/ NUMBER				
Smart tool detection		-	•	
Whisk			•	•
Beating disc	_	_	· · · · · · · · · · · · · · · · · · ·	
-	•	•	-	-
Dough hook	•	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	-
Plastic	•	•	•	-
Metal	-	-	-	•
No. of stainless steel discs:	-	-	-	-
Reversible Slicing & Shredding Disc	•	-	-	-
Reversible slicing disc thick / thin	-	•	•	•
Reversible shredding disc coarse / fine	-	•	•	•
SuperCut disc		-	•	
Asia-vegetable / Julienne disc				_
				•
No. of inserts (only MCM4)		•	-	-
Slicing fine	•	•	-	-
Slicing coarse / thick	•	•	•	-
Shredding fine	•	-	-	-
Shredding medium	-	-	-	-
Blender/ jar (BPAfree, lid)		•	•	•
S: material (vol max xml/ usable 1.000ml)	-	-	-	-
M: material (vol max xml/ usable 1.250ml)	-		-	-
L: material (vol max xml/ usable 1.500ml)	-	-	-	-
rpm	17,000 min-1	17,000 min-1	15,000 min-1	15,000 min-1
Citrus Press	-	-	10,000 11111 1	10,000 11111 1
Centrifugal Juicer		_	<u> </u>	
		_	· ·	
Small chopper	•	•		•
Small mill		•		
Cube cutter	-	•	•	-
Storage	-	-	-	-
Cable compartment	Cable storage compartment	Cable storage compartment	Cable storage compartment	Cable storage compartment
Accessories	Standard acc. in the bowl	Standard acc. in the bowl	accessory bag dark grey	accessory bag dark grey
Plug-type	GB plug	GB plug	GB plug	GB plug
Safety features		-	-	
Knife guard	•	•	_	_
Suction feet for extra stability	Suction foot	Suction foot	Suction foot	Suction foot
Suction feet for extra stability	JULLIUII IUUL	SUCTION TOOL	JULLIUII IUUL	JULLIUII IUUL

^{• =} Yes - = No

VitaPower Blender - high performance guaranteed



ТҮРЕ	MINI BLENDER
DESIGN FAMILY	VITAPOWER
MODEL	MMB2111MG
Housing colour	Silver
Secondary colour	Black
Housing material	Stainless Steel
Wattage / Power (W)	450
RPM	40.000
On/off switch	-
Speed settings (2,5, variable)	One touch On/Off
Gentle Start	
Pulse function	-
Material	Tritan BPA free
S: vol max 1000ml / usable 600ml or ToGo: vol max 600ml / usable 500ml	0,8l max/ 0,6l usable
M: vol max 2300ml / 2400ml / usable 1500ml	-
L: vol max 2500ml / usable 2000ml	-
XL Vacuum: max vol 2000ml / usable 1500ml	
Pusher	
Knife stainless steel	
No. of knives	4
Not detachable	-
detachable: screw mechanism	
detachable: EasyClick mechanism	
Ice crush function	-
ACCESSORIES	
1 ToGo bottle with drinking lid	•
1 Vacuum ToGo bottle with drinking lid	-
1 Vacuum storage container (usable 1.000ml)	-
2 Vacuum storage containers (usable 1.000&2.000ml)	-
Storage - cable compartment	-
Plug-type	GB plug

ТҮРЕ	PERFORMANCE BLENDER
DESIGN FAMILY	VITAPOWER
MODEL	MMB6174SG
Housing colour	Silver
Secondary colour	Black
Housing material	Plastic
Wattage / Power (W)	1.200
RPM	30.000
On/off switch	Not illuminated Rotary switch
Speed settings (2,5, variable)	2-stage
Gentle Start	-
Pulse function	•
Material	Borosilicate
S: vol max 1000ml / usable 600ml or ToGo: vol max 600ml / usable 500ml	-
M: vol max 2300ml / 2400ml / usable 1500ml	•
L: vol max 2500ml / usable 2000ml	-
XL Vacuum: max vol 2000ml / usable 1500ml	-
Pusher	

Not detachable detachable- screw mechanism detachable: EasyClick mechanism Ice crush function

Cord keeper

Integrated in Operating Instr

Our VitaPower Serie 4 Blender will allow you to achieve great smoothie texture even with frozen ingredients with its stainless steel blades made in Solingen, Germany, its powerful 1.200W motor - highest power in its price class and its unique 3D dynamic Flow Boosters in the jar.

The handling is easy, safe and effortless with a patented EasyKlick blade holder and dishwasher safe parts.



Two-in-one: direct blending into the big without adapter.



Serie 4

VitaBar App • = Yes - = No

Knife stainless steel

1 ToGo bottle with drinking lid 1 Vacuum ToGo bottle with drinking lid 1 Vacuum storage container (usable 1.000ml) 2 Vacuum storage containers (usable 1.000&2.000ml)

Storage - cable compartment

SAFETY FEATURES

Safety stop

RECIPES

Languages

Vacuum technology for perfect taste and perfect storage.

The VitaPower Serie 8 Vacuum Blender & Storage. Blending under vacuum gives you perfect taste with a smooth texture.

Smoothies are blended under vacuum with minimal oxidation which leads to a longer preservation of oxygen sensitive vitamins, keeping your fruit and vegetables fresh for up to two times longer*.





Accessories.

The VitaPower Serie 8 Vacuum Blender comes with 2 vacuum storage boxes which allow you to store almost any food under vacuum, keeping it fresh for longer.

The ToGo bottle enables you to store any leftover smoothie under vacuum meaning you'll have less layers, less bubbles, more natural colours and preservation of oxygen-sensitive vitamins. You even get a FREE smoothie recipe book for inspiration.

Keep food fresh for longer with the new ErgoMixx Fresh Vacuum System.

Enjoy the taste of fresh food every day.

Attach the vacuum pump to your hand blender with a simple click and preserve fresh food, leftovers or snacks in vacuum containers and zipper bags.

Motor with maximum power to meet the highest demands.

Thanks to having incredible Bosch power with a 1000 watt motor, the toughest ingredients can be processed. Giving excellent results in no time.



VACUUM BLENDER **DESIGN FAMILY ERGOMIXX** MODEL MS6CB61V5G Housing colour Piano black Secondary colou Anthracite Cable length (m 1.4 14.500 min-Plastic (BPAfree Plastic beaker (BPAfree GB plug Plug-type Eiect mechanisi Hanging loop ● = Yes - = No

Homemade food simply tastes best.

The durable and extra sharp **QuattroBlade** delivers outstanding cutting action for fine blending results. Whether it's herbs, nuts. meat or onions they are chopped in no time. In addition, the AntiSplash function prevents splashes and helps keep your kitchen spotless.

Variable speed settings.

You can always be in control of the precise settings for every task, simply select the best speed from the variable 12 speed settings depending on the results you desire.

Accessories.

The dishwasher-safe chopper and whisk attachments are ready to use right away. The stackable vacuum container (1.2L) and 6 zipper bags (3 1.2L and 3.8L each) are BPA-free so they can also be cleaned in the dishwasher and used again.

VitaBar App

Stored in vacuum container and bags in refrigerator, compared to ordinary non-vacuum storage methods, study conducted by an independent laboratory 09/2018, 6/2019 and 12/2019.

Hand Blenders

Bosch handheld kitchen blenders provide practical and powerful blending at the press of a button. Innovative technology and a range of accessories can transform your Bosch stick blender into a versatile and enviable kitchen gadget for blending, chopping, whisking and beating.



ТҮРЕ	HAND BLENDER	HAND BLENDER	HAND BLENDER	HAND BLENDER			
DESIGN FAMILY	MSM6	MSM6	CLEVERMIXX	CLEVERMIXX			
MODEL	MSM6B150GB	MSM66020GB	MSM2610BGB	MSM2623GGB			
Housing colour	White	White	Piano black	White			
Secondary colour	Grey	Grey	Anthracite	Vivid green			
Housing material	Plastic	Plastic	Plastic	Plastic			
Wattage / Power (W)	300	600	600	600			
Cable length (m)	1.5	1.4	1.2	1.2			
SoftTouch		•	-	-			
Speed	12.500 min-1	11.200 min-1	15.000 min-1	15.000 Min-1			
Settings	1-stage	12-stage	1-stage	1-Stage			
Turbo function		•	-	-			
Foot			-	-			
Stainless steel		-	•	•			
Plastic (BPA free)	•	•		-			
M: QuattroBlade knife with 4 blades	•	•	•	•			
L: QuattroBlade Pro + 4 knifes	-	-	-	-			
Mini foot		-	-	•			
ACCESSORIES							
Beaker	•	•	•	•			
Maximum volume (I)	-	-	-	-			
Usable volume (I)		-	-	-			
Lid		-	-	-			
Stainless steel			-	-			
Chopper with lid		•		•			
Lid				•			
Whisk, stainless steel				-			
Plug-type	GB plug	GB plug	GB plug	GB plug			
Eject mechanism	Bayonet	Eject	Bayonet	Bayonet			
Hanging loop		-	-	-			
Overhead protection		-	-	-			
RECIPES							
Booklet		-		Separate enclosure			





### Company of the co	MSM6 MSM6S90BGB Stainless steel Black Plastic with stainless steel 750 1.4 14.500 Min-1 12-Stage	MAXOMIXX MS8CM6160G Stainless steel Black Plastic with stainless steel 1.000 1.4 16.000 Min-1 12-Stage	MAXOMIXX MS84CB6110 Stainless steel Black Plastic with stainless steel 1.000 1.4 16.000 Min-1 12-Stage
White Anthracite Plastic 800 1.4 • 11.200 Min-1 12-Stage •	Stainless steel Black Plastic with stainless steel 750 1.4 14.500 Min-1 12-Stage	Stainless steel Black Plastic with stainless steel 1.000 1.4 16.000 Min-1 12-Stage	Stainless steel Black Plastic with stainless steel 1.000 1.4 16.000 Min-1 12-Stage •
Anthracite Plastic 800 1.4 • 11.200 Min-1 12-Stage •	Black Plastic with stainless steel 750 1.4 14.500 Min-1 12-Stage	Black Plastic with stainless steel 1.000 1.4 16.000 Min-1 12-Stage	Black Plastic with stainless steel 1.000 1.4 16.000 Min-1 12-Stage .
Plastic 800 1.4 11.200 Min-1 12-Stage	Plastic with stainless steel 750 1.4 14.500 Min-1 12-Stage	Plastic with stainless steel 1.000 1.4 16.000 Min-1 12-Stage	Plastic with stainless steel 1.000 1.4 16.000 Min-1 12-Stage .
800 1.4 11.200 Min-1 12-Stage	750 1.4 • 14.500 Min-1 12-Stage • •	1.000 1.4 • 16.000 Min-1 12-Stage • ·	1.000 1.4 • 16.000 Min-1 12-Stage •
1.4 11.200 Min-1 12-Stage	1.4 14.500 Min-1 12-Stage - - -	1.4 • 16.000 Min-1 12 Stage • ·	1.4 • 16.000 Min-1 12-Stage •
11.200 Min-1 12-Stage	14.500 Min-1 12-Stage - - -	16.000 Min-1 12-Stage • •	16.000 Min-1 12-Stage •
11.200 Min-1 12-Stage	14.500 Min-1 12-Stage - - - - -	16.000 Min-1 12-Stage	16.000 Min-1 12-Stage • •
12-Stage	12-Stage - - - -	12-Stage	12-Stage ●
• - - - - - -	• • •	•	•
: • : : :	•	•	•
•	•	•	
•	•	•	• :
	•		
	•	-	
	-	•	•
•			
•			
	•	•	•
	•	-	-
		•	
		•	-
	-		
-	•	-	-
-	-	-	-
•	•	-	-
GB plug	GB plug	GB plug	Helix cord
Eject	Eject	Eject	Eject
-	-		-
•	•	-	-

• = Yes - = No

Explore more at bosch-home.co.uk / bosch-home.ie Making life easy through innovative technologies



ТҮРЕ	HAND MIXER	HAND MIXER	HAND MIXER	HAND MIXER	HAND MIXER WITH BOWL
DESIGN FAMILY	ERGOMIXX	CLEVERMIXX	CLEVERMIXX	STYLINE	CLEVERMIXX
MODEL	MFQ3030GB	MFQ36300GB	MFQ2420BGB	MFQ4020GB	MFQ3555GB
Value class name	ErgoMixx	CleverMixx	CleverMixx	Styline	CleverMixx
Housing colour	White	White	Piano black	White	White
Secondary colour	Red	Red	Silver	Black	Red
Housing material	Plastic	Plastic	Plastic	Plastic	Plastic
Wattage / Power (W)	350	400	400	450	350
SoftTouch	No	No	No	Yes	No
Speed	1,050 min-1	1,000 min-1	1,050 min-1	1,000 min-1	1,100 min-1
Settings	4-stage	5-stage	4-stage	5-stage	5-stage
Pulse = Turbo	-	-	-	-	-
Connection for accessories	No	No	No	Yes	Yes
Stand 'n' bowl (plastic)	-	-	-		Yes
Max. capacity (ml)		-	-		3000
ACCESSORIES:					
Beater, stainless steel		-	-	-	-
Standard	•	-	-	-	-
Turbo	•		•		•
FineCreamer	-	•	-	•	-
Hooks, stainless steel	-	-	-		-
Standard	•	•	•		•
Turbo	-	-	-		
Beaker	-	-	-		-
Lid					
Chopper	-	-	-		
Ice crush knife					
lid					
Blender foot					
Stainless steel					
Plastic (BPA free)					
ject button (for beater / hooks)	•	•	•	•	•
afety features		_			

• = Yes - = No

Breakfast at your fingertips.

With the elegant design and the latest heating technology that features across our range, the morning the right way.



BOSCH

TYPE	TOASTER			
DESIGN FAMILY	SKY			
MODEL	TAT7201GB	TAT7203GB		
Main colour	Stainless steel	Stainless steel Black		
Secondary colour	White	-		
Type of toaster	Compa	ct toaster		
Material	Stainle	ess steel		
Wattage / Power (W)	860	- 1050		
CHARACTERISTICS				
Defrost function		•		
Reheat function		•		
Stop function		•		
High-lift		•		
Bun warmer	Inte	grated		
Crumb tray		•		
Thick & thin function	•			
Toasting degree selector	Inf. variable	Inf. variable rotary control		
Automatic shut off at end of roasting cycle		•		
Automatic shut off when toast gets jammed		•		
Heating type	Large-surface	heating element		
DIMENSIONS				
HxWxD mm	184x1	55x292		
Size of roasting chamber (LxWxD mm)		-		
POWER SUPPLY				
Voltage (V)	220)-240		
Frequency (Hz)	50	/ 60		
Plug type	GB	GB plug		

Cable length (cm)

TYPE	ILL	KETTLE		
DESIGN FAMILY	S	SKY		
MODEL	TWK7201GB	TWK7203GB		
Main colour	Stainless steel	Black		
Secondary colour	White	-		
PRODUCT SPECIFICATION				
Connection Rating (W)	3	000		
Voltage (V)	220	220-240		
Frequency (Hz)	50	50 / 60		
Length electrical supply cord (cm)		80		
Plug type	GE	GB plug		
Approval certificates	U	UKCA		
Material body	Stainle	Stainless steel		
Capacity (I)		1.7		
Power on indicator		•		
Water level indicator	Readable	from outside		
Lift-Switch_Off		•		
Filter	Plastic:	scale filter		
Button for opening lid		•		
Cordless		•		

1.7 I capacity • Wattage: 2500-3000 W • one-cup minimum indicator: for small amounts (300ml) • Water level indicator readable from outside
• Cordless, 360° rotary base • Stainless steel interior base with concealed heating element • Removable limescale filter • Button for opening lid • Safety looking lid
• TemperatureControl: Temperatue setting at 70°C, 80°C, 90°C, 100°C • Keep Warm Function • on/off switch with separate power indicator
• Automatic switch-off: kettle automatically switches off when water has boiled • Boil-dry and overheat protection • Lift switch off: the kettle automatically switches off when removed from its base • Large opening for easy cleaning • Acoustic ready signal • Non-slip feet on base • Easy storage: Cord keeper for simple and quick storage of the cable

Small appliances 78 | 79

Kettles & toasters









TYPE	KETTLE			
DESIGN FAMILY	SKY	SKY	STYLINE	STYLINE
MODEL	TWK7201GB	TWK7203GB	TWK8631GB	TWK8633GB
Main colour	Stainless steel	Stainless steel	White	Black
Secondary colour	White	Black	Anthracite	Black
FEATURES / BENEFITS				
Connection Rating (W)	3000	3000	3000	3000
Voltage (V)	220-240	220-240	220-240	220-240
Frequency (Hz)	50/60	50/60	50/60	50/60
Length electrical supply cord (cm)	80.0	80.0	80.0	80.0
Plug type	GB plug	GB plug	GB plug	GB plug
Approval certificates	UKCA*, VDE	UKCA*, VDE	UKCA*, VDE	UKCA*, VDE
Material body	Stainless steel	Stainless steel	Plastic w. stainl.steel appl.	Plastic w. stainl.steel appl.
Capacity (I)	1.70	1.70	1.50	1.50
Power on indicator	•	•	•	•
Water level indicator				
Lift switch-off when removed from the base	•	•	•	•
Filter	Plastic scale filter	Plastic scale filter	Scale filter in pouring spout	Scale filter in pouring spout
Button for opening lid	•	•	•	•
Cordless	•	•	•	•
Stainless Steel interior base	•	•	•	•
Concealed heating element	•	•	•	•
Removeable limescale filter	•	•	•	•
Cordless 360º rotary base	•	•	•	•
Safety locking lid	•	•	•	•
Illuminated on/off switch	Power indicator	Power indicator	•	•
Automatic switch-off when kettle has boiled	•	•	•	•
Boil-dry and overheat protection	•	•	•	•
Easy storage: Cord keeper for simple and quick storage of the cable	•	•	•	•
TemperatureControl: settings at 70°C, 80°C, 90°C, 100°C	•	•	•	•
"Keep Warm Function"	•	•	•	•
Large opening for easy cleaning	•	•	-	-
One cup minimum indicator (min. 300ml)	•	•	-	-
Acoustic ready signal	•	•	•	•
Non-slip feet on base	•	•	-	-
Large water window: good visibility for right and left handed persons		-	-	-
Anti slip 'soft touch' handle	•	•	•	•
Ergonomic handle design		-	-	-
SensorTouch' controls	•	•	-	-









ТҮРЕ	TOASTER			
DESIGN FAMILY	SKY	SKY	STYLINE	STYLINE
MODEL	TAT7201GB	TAT7203GB	TAT8611GB	TAT8613GB
Type of toaster	Compact toaster	Compact toaster	Compact toaster	Compact toaster
Main colour	Stainless steel	Stainless steel	White	Black
Secondary colour	White	Black	Anthracite	Black
Material	Painted steel	Painted steel	Stainless steel	Stainless steel
Wattage / Power (W)	860 - 1.050	860 - 1.050	860	860
FEATURES / BENEFITS Defrost function	•	•	•	•
Reheat function	•	•	•	•
Stop function	•	•	•	•
High-lift	•	•	•	•
Bun warmer - integrated	•	•	•	•
Crumb tray	•	•	•	•
Thick & thin function	•	•	•	•
Toasting degree selector	Variable rotary control	Variable rotary control	LED display w. memory function	LED display w. memory function
Automatic shut off at end of roasting cycle	•	•	•	•
Automatic shut off when toast gets jammed	•	•	•	•
Heating type	Large-surface heating element	Large-surface heating element	Quartz glass heater	Quartz glass heater
Voltage (V)	220-240 V~	220-240 V~	220-240 V~	220-240 V~
Frequency (Hz)	50/60 Hz	50/60 Hz	50/60 Hz	50/60 Hz
Plug type	GB plug	GB plug	GB plug	GB plug











		KETTLE		
STYLINE SENSOR	STYLINE SENSOR	DESIGNLINE ERGO	DESIGNLINE ERGO	DESIGNLINE ERGO
TWK86101GB	TWK86103GB	TWK5P480GB	TWK5P475GB	TWK5P471GB
White	Black	Silver	Anthracite	White
Anthracite	Anthracite	Black	Black	Black
3000	3000	3000	3000	3000
220-240	220-240	220-240	220-240	220-240
50/60	50/60	50/60	50/60	50/60
80.0	80.0	70.0	70.0	70.0
GB plug	GB plug	GB plug	GB plug	GB plug
UKCA*, VDE	UKCA*, VDE	UKCA*	UKCA*	UKCA*
plastic w. stainl.steel appl.	Plastic w. stainl.steel appl.	Stainless steel	Stainless steel	Stainless steel
1.50	1.50	1.70	1.70	1.70
•	•	•	•	•
-	-	•	•	•
•	•	•	•	•
Scale filter in pouring spout	Scale filter in pouring spout	plastic scale filter	plastic scale filter	plastic scale filter
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	-	-	-
•	•	-	-	-
-	-	-	-	-
-	-	-	-	-
•	•	-	-	-
-	-	•	-	-
-	-	-	-	-
-	-	•	•	•
-	-	•	-	-
-	•	•	•	•







TOASTER			
DESIGNLINE ERGO	DESIGNLINE ERGO	DESIGNLINE ERGO	
TAT5P440GB	TAT5P445GB	TAT5P441GB	
4 Slot toater	4 Slot toater	4 Slot toater	
Silver	Anthracite	White	
Black	Black	Black	
Stainless steel	Stainless steel	Stainless steel	
825 - 980	825 - 980	825 - 980	
•	•	•	
•	•	•	
•	•	•	
•	•	•	
•	•	•	
•	•	•	
•	•	•	
Variable rotary control	Variable rotary control	Variable rotary control	
•	•	•	
•	•	•	
Large-surface heating element	Large-surface heating element	Large-surface heating element	
220-240 V~	220-240 V~	220-240 V~	
50/60 Hz	50/60 Hz	50/60 Hz	
GB plug	GB plug	GB plug	

Kettles & Toasters











ТҮРЕ			KETTLE		
DESIGN FAMILY	DESIGNLINE	DESIGNLINE	DESIGNLINE	DESIGNLINE PLUS	DESIGNLINE PLUS
MODEL	TWK3P420GB	TWK3P423GB	TWK3P421GB	TWK4P440GB	TWK4P439GB
Main colour	Silver	Black	Red	Silver	Copper
Secondary colour	Black	Black	Black	Black	Black
FEATURES / BENEFITS					
Connection Rating (W)	3000	3000	3000	3000	3000
Voltage (V)	220-240	220-240	220-240	220-240	220-240
Frequency (Hz)	50/60	50/60	50/60	50/60	50/60
Length electrical supply cord (cm)	70.0	70.0	70.0	70.0	70.0
Plug type	GB plug				
Approval certificates	UKCA*	UKCA*	UKCA*	UKCA*	UKCA*
Material body	Stainless steel				
Capacity (I)	1.70	1.70	1.70	1.70	1.70
Power on indicator	•	•	•	•	•
Water level indicator	•	•	•	•	•
Lift switch-off when removed from the base	•	•	•	•	•
Filter	Plastic scale filter	Plastic scale filter	Plastic scale filter	Plastic scale filter	Plastic scale filter
Button for opening lid	•	•	•	•	•
Cordless	•	•	•	•	•
Stainless Steel interior base	•	•	•	•	•
Concealed heating element	•	•	•	•	•
Removeable limescale filter	•	•	•	•	•
Cordless 360º rotary base	•	•	•	•	•
Safety locking lid	•	•	•	•	•
Illuminated on/off switch	•	•	•	•	•
Automatic switch-off when kettle has boiled	•	•	•	•	•
Boil-dry and overheat protection	•	•	•	•	•
Easy storage: Cord keeper for simple and quick storage of the cable	•	•	•	•	•
TemperatureControl: settings at 70°C, 80°C, 90°C, 100°C		-	-	-	-
"Keep Warm Function"		-	-	-	-
Large opening for easy cleaning				-	
One cup minimum indicator (min. 300ml)		-	-	-	-
Acoustic ready signal	-	-	-	-	-
Non-slip feet on base				-	
Large water window: good visibility for right and left handed persons			-	•	
Anti slip 'soft touch' handle				-	
Ergonomic handle design				-	-
SensorTouch' controls		-		-	-











ТҮРЕ			TOASTER		
DESIGN FAMILY	DESIGNLINE	DESIGNLINE	DESIGNLINE	DESIGNLINE PLUS	DESIGNLINE PLUS
MODEL	TAT3P420GB	TAT3P423GB	TAT3P421GB	TAT4P440GB	TAT4P449GB
Type of toaster	Compact toaster	Compact toaster	Compact toaster	4 Slot toater	4 Slot toater
Main colour	Silver	Black	Red	Silver	Copper
Secondary colour	Black	Black	Black	Black	Black
Material	Stainless steel				
Nattage / Power (W)	825 - 980	825 - 980	825 - 980	825 - 980	825 - 980
FEATURES / BENEFITS Defrost function	•	•	•	•	•
Reheat function	•	•	•	•	•
Stop function	•	•	•	•	•
High-lift	•	•	•	•	•
Bun warmer - integrated	•	•	•	•	•
Crumb tray	•	•	•	•	•
Thick & thin function	•	•	•	•	•
Toasting degree selector	Variable rotary control				
Automatic shut off at end of roasting cycle	•	•	•	•	•
Automatic shut off when toast gets jammed	•	•	•	•	•
Heating type	Large-surface heating element				
/oltage (V)	220-240 V~				
requency (Hz)	50/60 Hz				
Plug type	GB plug				













		KET	TLE		
TOWN	COUNTRY II	COUNTRY II	VILLAGE	VILLAGE	VILLAGE
TWK78A01GB	TWK7507GB	TWK7503GB	TWK7601GB	TWK76033GB	TWK76075GB
Stainless steel	Cream	Black	White	Black	Cream
-	Anthracite	Black	Light grey	Black	Anthracite
3000	3000	3000	3000	3000	3000
220-240	220-240	220-240	220-240	220-240	220-240
50/60	50/60	50/60	50/60	50/60	50/60
70.0	70.0	70.0	70.0	70.0	70.0
GB plug	GB plug	GB plug	GB plug	GB plug	GB plug
UKCA*	UKCA*	UKCA*	UKCA*	UKCA*	UKCA*
Stainless steel	Plastic	Plastic	Plastic	Plastic	Plastic
1.70	1.70	1.70	1.70	1.70	1.70
•	•	•	•	•	•
•	Both-sided for left/right hand, Readable from outside				
•	•	•	•	•	•
Plastic scale filter	Plastic scale filter	Plastic scale filter	Plastic scale filter	Plastic scale filter	Plastic scale filter
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
-	-	-	-	-	-
-	-	-	-	-	-
	-	-	-	-	
-	-	-	-	-	-
-	-	-	-	-	
-	-	-	-	-	
	•	•	•	•	•
-	-	-	-	-	-
	-	-	-	-	











	IUA	STER		
СІТУ	DESIGNLINE PLUS	VILLAGE	VILLAGE	VILLAGE
TAT6A913GB	TAT4P443GB	TAT3A011GB	TAT3A0133G	TAT3A0175G
Compact toaster	4 Slot toater	Compact toaster	Compact toaster	Compact toaster
Stainless steel	Black	White	Black	Cream
Black	Black	Light grey	Black	Anthracite
Stainless steel	Stainless steel	Plastic	Plastic	Plastic
915 - 1.090	825 - 98	825 - 980	825 - 980	825 - 980
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
Variable rotary control				
•	•	•	•	•
•	•	•	•	•
Large-surface heating element				
220-240 V~				
50/60 Hz				
GB plug				



INTELLIBREW barcode reader.

Thanks to patented barcode technology INTELLIBREW™, the drink specialities from Tassimo are always perfectly prepared with the correct amount of water, at the right temperature and for the right brewing time.




All of your favourite drinks and favourite brands.





Brita Maxtra Water Filter.

A Brita Maxtra water filter system is installed in the water tank of your Tassimo. This filter system from Brita reduces limescale and chlorine to a minimum, thereby ensuring improved aroma and better taste in each cup. The filter system also guarantees a longer appliance life. A digital memo lets you know when the filter needs to be replaced.



Descaling tablets. Keep your Tassimo machine in perfect working order with our Descaling Tablets. Each tablet removes limescale, residue and calcium deposits from your machine, so that it remains in the best condition to create delicious drinks for years.



ТҮРЕ	MY WAY 2 TASSIMO
BLACK	TAS6502GB
RED	TAS6503GB
WHITE	TAS6504GB
CREAM	TAS6507GB
KEY FEATURES	
INTELLIBREW barcode reader	•
One Touch Operation	•
Multi Beverage	•
Removeable Water Tank	•
Transparent Water Tank	•
Water Tank Size (L)	1.3
Water Level Gauge	•
Colour Alternatives	•
Smart Start	-
Brita Maxtra Water Filter	•
Wattage / Power (W)	1500
Pump Pressure	3.3 Bar
Adjustable Cup Stand	•
Removeable Drip Tray	•
Auto Shut-Off	•
Auto Shut-Off Time – After 60 seconds	•
Automatic Cleaning & Descaling Programme	•
Descale Warning Feature	•
Dishwasher Safe Parts	•
Personalisation Settings	•
Sensor-Touch Interface	•
Appliance Dimensions (HxWxD) (mm)	290x230x325
Standy By Display	Indicator Light









Black

Red





White

Cream

Tassimo coffee machines







ТҮРЕ	HAPPY TAS10	VIVY TAS14	SUNY TAS32
MODEL/COLOUR	TAS1007GB - CREAM/BLACK TAS1001GB - PURPLE/WHITE TAS100GGB - RED/WHITE TAS1003GB - RED/BLACK TAS1002GB - BLACK	TAS1401GB - PINK TAS1407GB - CREAM TAS1403GB - RED TAS1402GB - BLACK TAS1404GB - WHITE	TAS3202GB - BLACK
KEY FEATURES			
INTELLIBREW barcode reader	•	•	•
One Touch Operation	•	•	•
Multi Beverage	•	•	•
Removeable Water Tank	•	•	•
Transparent Water Tank	•	•	•
Water Tank Size (L)	0.7	0.7	0.8
Water Level Gauge	•	•	•
Colour Alternatives	•	•	•
Smart Start	•	-	•
Brita Maxtra Water Filter	-	-	-
Wattage / Power (W)	1400	1300	1300
Pump Pressure	3.3 Bar	3.3 Bar	3.3 Bar
Adjustable Cup Stand	•	•	•
Removeable Drip Tray	•	•	•
Auto Shut-off	•	•	•
Automatic Cleaning & Descaling Programme	•	•	•
Descale Warning Feature	•	•	•
Dishwasher Safe Parts	•	•	•
Personalisation Settings	•	-	-
Sensor-Touch Interface	•	-	-
Appliance Dimensions (HxWxD) (mm)	265x175x305	251x169x310	251x167x305
Standy By Display	Indicator Light	Indicator Light	Indicator Light
Power Cord Length (cm)	90	90	90

Filter Coffee Machines



Small appliances 86 | 87

DualHeating System

Coffee must be brewed at the correct temperature to ensure that the full aroma can develop. Two powerful sensor-controlled heating systems ensure that the brewing water is heated to the ideal temperature of 92-96 °C. The second heating system keeps the coffee warm at 80-85 °C.

VolumeAutomatic

- a sensor in the water tank that detects how many cups are required, then automatically adjusts the brewing time and optimizes the brewing process.

TYPE	
DESIGN FAMILY	
MODEL	
Main colour	
Secondary colour	Wi
Availability	
KEY FEATURES	

Available from June 2021

Availability	June 2021	June 2021
KEY FEATURES		
Approval certificates	UKCA*	UKCA*
Power on indicator	•	•
Auto-OFF	•	•
Volume water tank	1.25	1.25
Number of cups big/small	Glass carafe with soft handle	Glass carafe with soft handle
POWER SUPPLY		
Connection Rating (W)	1160	1160
11 5 0.0	****	

50/60

GB plug

TKA8011

FILTER COFFEE MACHINE

Plastic Black / Black

50/60

GB plug


Integrated descaling system – for a long appliance life and excellent taste.	
Auto-off – safe and energy- saving, as the device switches off automatically after 40 minutes of keeping it warm.	⊕ Bosch
	■ ® BOSCH
Removable water tank – ea to fill directly under the tap.	sy and quick

• = Yes - = No

Cable length (cm)


Accessories and product specification guide

2021




Cooling technical diagrams

American-style fridge freezer



KAD92HBFP, KAG93AIEPG, KAD93VIFPG, KAD93VBFPG, KAI93VIFPG




KAN93VIFPG


All diagram measurements are in millimetres (mm)

We try to keep up to date with constant technological improvements, so from time to time we may update installation guidelines. Therefore we strongly recommend that you download the latest installation guidelines from www.bosch-home.co.uk. Line drawings are for guidance only, and we recommend that you refer to the latest installation guidelines. Though every care is taken to ensure instructions are correct at the time of printing, Bosch cannot accept responsibility for incorrect planning or installation as a result of the use of these line drawings.

Accessories







Dishwasher accessories

DESCRIPTION	Accessory Nr.	SMS8YCI01E	SMS6ZDW48G	SMS6EDI02G	SMS6EDW02G	SMS6ZCI00G	SMS6ZCW00G	SMS4HDW52G	SMS4HCI40G	SMS4HCW40G	SMS4HAI40G	SMS4HAW400
Small item clip for upper basket	SGZ0IC00	•	•	•	•	•	•	•	•	•	•	•
Aqua stop extension	SGZ1010	•	•	•	•	•	•	•	•	•	•	•
Silver polishing cassette - 45cm dishwashers	SGZ3003	-		-		-			-	-	-	
Silver polishing cassette - 60cm dishwashers	SMZ5002	-	•	•	•	•	•	•	-		-	
Adjustable cutlery basket	SMZ5100	•		-		•	•		•	•	-	
Wine glass holder accessory (Glass secure tray)	SMZ5300	•	•	•	•	•	•	•	•	•	•	•
DESCRIPTION	Accessory Nr.	SMS2HKI66G	SMS2HKW66G	SMS2HVI66G	SMS2HVW66G	SMS2ITI41G	SMS2ITW41G	SPS4HMW53G	SPS4HKI45G	SPS4HKW45G	SKS62E32EU	
Small item clip for upper basket	SGZ0IC00	•	•	•	•	•	•	-				
Aqua stop extension	SGZ1010	•	•	•	•	•	•	•	•	•	•	
Silver polishing cassette - 45cm dishwashers	SGZ3003	-		-		-					•	
Silver polishing cassette - 60cm dishwashers	SMZ5002	•										
Silver polishing cassette - 60cm dishwashers Adjustable cutlery basket	SMZ5002 SMZ5100			•	•	-			-			

Laundry stacking kit compatibility

DESCRIPTION	Accessory Nr.	WTX88EH9GB	WTX88RH9GB	WTWH7660GB	WTR88T81GB	WTG86402GB	WTW85231GB	WTH85222GB	WTN85201GB
Stacking kit	WTZ20410			-	-	•	•	•	•
Staking kit with pull-out shelf	WTZ11400		-	-	-	•	•	•	•
DESCRIPTION	Accessory Nr.	WTX88EH9GB	WTX88RH9GB	WTWH7660GB	WTR88T81GB	WTG86402GB	WTW85231GB	WTH85222GB	WTN85201G
Stacking kit	WTZ27410	•	•	•	•	-			
Staking kit with pull-out shelf	WTZ27400	•	•	•	•	-			

Download a copy of our catalogues online at **www.bosch-home.co.uk** or call **0344 892 8979**

Contact Bosch Customer Service

To arrange an engineer visit, obtain product advice or order replacement spare parts or accessories visit

www.bosch-home.co.uk or call 0344 892 8979

Republic of Ireland customers should visit **www.bosch-home.ie** to arrange an engineer's visit, or to order spare parts and accessories, or call **(01) 450 2655**





Calls are charged at the basic rate, please check with your telephone service provider for exact charges.

Disclaimer: This brochure is current as from the publication date and supersedes all previous brochures for these products. This brochure should not be regarded as an infallible guide nor as an offer for sale of any particular product. Whilst BSH Home Appliances Ltd believes that all information contained within this brochure is correct at the time of going to print, no representation or warranty, express or implied, is or will be made and no responsibility or liability is or will be accepted by BSH Home Appliances Ltd in relation to the accuracy or completeness of this information and any liability is expressly disclaimed. To the extent permitted by law, BSH Home Appliances Ltd expressly excludes: i) all conditions, warranties and other terms which might otherwise be implied by statute, common law or the law of equity and ii) any liability for any direct, indirect or consequential loss or damage (including, without limitation, damages for loss of business or loss of profits) arising in contract, tort or otherwise from the use of or reliance on any information contained within this brochure or from any action or decision taken as a result of such use or reliance. BSH Home Appliances Ltd reserves the right to modify technical data and all other information contained within this brochure without notice. All rights reserved. No part of this publication may be reproduced in any form or without the prior written permission of BSH Home Appliances Ltd. All colour variations are due to the limitations of the printing process. We recommend a visit to a Bosch dealer to confirm that specifications and colours are to your satisfaction.

April 2021.

BSH Home Appliances Limited

Grand Union House
Old Wolverton Road, Wolverton
Milton Keynes MK12 5PT
www.bosch-home.co.uk

BSH Home Appliances Limited

M50 Business Park Ballymount, Dublin 12 **Tel: 1890 626 041**

www.bosch-home.ie